

Replacement of Neanderthals by Modern Humans Series

Yoshihiro Nishiaki
Takeru Akazawa *Editors*

The Middle and Upper Paleolithic Archeology of the Levant and Beyond

 Springer

Replacement of Neanderthals by Modern Humans Series

Edited by

Takeru Akazawa

Research Institute, Kochi University of Technology
Kochi 782-8502, Japan
akazawa0823@qd6.so-net.ne.jp

Ofer Bar-Yosef

Department of Anthropology, Harvard University
Cambridge, Massachusetts 02138, USA
obaryos@fas.harvard.edu

The planned series of volumes will report the results of a major research project entitled “Replacement of Neanderthals by Modern Humans: Testing Evolutionary Models of Learning”, offering new perspectives on the process of replacement and on interactions between Neanderthals and modern humans and hence on the origins of prehistoric modern cultures. The projected volumes will present the diverse achievements of research activities, originally designed to implement the project’s strategy, in the fields of archaeology, paleoanthropology, cultural anthropology, population biology, earth sciences, developmental psychology, biomechanics, and neuroscience. Comprehensive research models will be used to integrate the discipline-specific research outcomes from those various perspectives. The series, aimed mainly at providing a set of multidisciplinary perspectives united under the overarching concept of learning strategies, will include monographs and edited collections of papers focusing on specific problems related to the goals of the project, employing a variety of approaches to the analysis of the newly acquired data sets.

Editorial Board

Stanley H. Ambrose (University of Illinois at Urbana-Champaign), **Kenichi Aoki** (Meiji University), **Emiliano Bruner**, (Centro Nacional de Investigacion Sobre la Evolucion Humana), **Marcus W. Feldman** (Stanford University), **Barry S. Hewlett**, (Washington State University), **Tasuku Kimura**, (University of Tokyo), **Steven L. Kuhn**, (University of Arizona), **Yoshihiro Nishiaki**, (University of Tokyo), **Naomichi Ogihara** (Keio University), **Dietrich Stout** (Emory University), **Hiroki C. Tanabe** (Nagoya University), **Hideaki Terashima** (Kobe Gakuin University), **Minoru Yoneda** (University of Tokyo)

More information about this series at <http://www.springer.com/series/11816>

Yoshihiro Nishiaki • Takeru Akazawa
Editors

The Middle and Upper Paleolithic Archeology of the Levant and Beyond

 Springer

Editors

Yoshihiro Nishiaki
The University Museum
The University of Tokyo
Tokyo, Japan

Takeru Akazawa
Research Institute
Kochi University of Technology
Kochi, Japan

Replacement of Neanderthals by Modern Humans Series

ISBN 978-981-10-6825-6 ISBN 978-981-10-6826-3 (eBook)

<https://doi.org/10.1007/978-981-10-6826-3>

Library of Congress Control Number: 2017958979

© Springer Nature Singapore Pte Ltd. 2018

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Printed on acid-free paper

This Springer imprint is published by Springer Nature

The registered company is Springer Nature Singapore Pte Ltd.

The registered company address is: 152 Beach Road, #21-01/04 Gateway East, Singapore 189721, Singapore

Preface

The aim of the Replacement of Neanderthals by Modern Humans project (RNMH2010–2014) was to make a contribution to one of the most intensely debated issues in paleoanthropology—the question of why replacement occurred between these two populations/species. In this respect, despite a long history of comparable research, the RNMH project is unique because it advocates the “learning hypothesis,” the proposal that replacement occurred because of significant differences in adaptive technology due to innate variation in learning ability between Neanderthals and modern humans. Thus, a series of multi-disciplinary investigations were carried out for six years including the year of 2015 for synthesis under the auspices of the RNMH project in an attempt to verify this hypothesis.

Key outputs of the project have been published as individual journal articles as well as monographs in this Series, including conference proceedings. Results presented at the first international conference (RNMH2012) held in November 2012 in Tokyo, were published as Series 1 and Series 2; papers in these series discussed the dynamics of learning in Neanderthals and modern humans from cultural and cognitive perspectives, respectively. The second conference (RNMH2014) was held in December 2014, Hokkaido; in this case, outcomes were compiled according to specific disciplines and were combined with contributions from non-attending participants. In this second round of publication, Series 3, published in 2016, was devoted to developing an understanding of the evolution of learning ability via theoretical modeling, while Series 4, published in early 2017, comprised studies on the learning behavior of modern hunter-gatherers that were conducted by cultural anthropologists. This volume augments these earlier publications and contains a collection of papers that present archaeological evidence for the replacement of Neanderthals with modern humans with emphasis on the Levant and surrounding areas, the region where this transition is thought to have initially occurred in Eurasia.

Sessions at the RNMH2014 conference were held with the support of various individuals and institutions; we would like to extend our deep gratitude to Kenichi Aoki (Meiji University, Japan), Tomoya Aono (Date City Institute of Funkawan Culture, Japan), Ofer Bar-Yosef (Harvard University, USA), Tasuku Kimura (The University of Tokyo, Japan), Naomichi Ogihara (Keio University, Japan), Naoyuki Ohshima (Date City Institute of Funkawan Culture, Japan), Hiroki C. Tanabe (Nagoya University, Japan), Hideaki Terashima (Kobe Gakuin University, Japan), Motomitsu Uchibori (The Open University of Japan, Japan), and Minoru Yoneda (The University of Tokyo, Japan). In particular, we are very grateful to the Education Board of Date City, Hokkaido, and the Date Volunteer Society for Scientific Meetings, who prepared the venue for this international conference. We thank Christopher Bergman (AECOM, USA), Seiji Kadowaki (Nagoya University, Japan), Marcel Otte (University of Liège, Belgium), and Miho Suzuki (The University of Tokyo, Japan) for providing support and comments that were invaluable to the editing of this book.

The RNMH project was financially supported by a Grant-in-Aid for Scientific Research on Innovative Areas (#1201, TA) from the Japanese Ministry of Education, Culture, Science, and Technology, while the publication of this volume was made possible thanks to financial aid

from its successor, *PaleoAsia 2016–2020* (#1803, YN). We thank Taeko Sato and Yosuke Nishida of Springer Japan for providing invaluable guidance and support during the preparation of this volume.

Kochi, Japan
Tokyo, Japan
July 2017

Takeru Akazawa
Yoshihiro Nishiaki

Contents

1	Archeological Issues in the Middle and Upper Paleolithic of the Levant and Its Neighboring Regions	1
	Yoshihiro Nishiaki and Takeru Akazawa	
Part I The Levant		
2	An Open-Air Site at Neshar Ramla, Israel, and New Insights into Levantine Middle Paleolithic Technology and Site Use	11
	Yossi Zaidner, Laura Centi, Marion Prevost, Maayan Shemer, and Oz Varoner	
3	A Week in the Life of the Mousterian Hunter	35
	Gonen Sharon	
4	Chrono-cultural Considerations of Middle Paleolithic Occurrences at Manot Cave (Western Galilee), Israel	49
	Ofer Marder, Omry Barzilai, Talia Abulafia, Israel Hershkovitz, and Mae Goder-Goldberger	
5	Middle Palaeolithic Flint Mines in Mount Carmel: An Alternative Interpretation	65
	Avraham Ronen	
6	Initial Upper Paleolithic Elements of the Keoue Cave, Lebanon	71
	Yoshihiro Nishiaki	
7	The Ahmarian in the Context of the Earlier Upper Palaeolithic in the Near East	87
	Nigel Goring-Morris and Anna Belfer-Cohen	
8	Ahmarian or Levantine Aurignacian? Wadi Kharar 16R and New Insights into the Upper Palaeolithic Lithic Technology in the Northeastern Levant	105
	Seiji Kadowaki	
Part II The Neighboring Regions of the Levant		
9	Living on the Edge: The Earliest Modern Human Settlement of the Armenian Highlands in Aghitu-3 Cave	119
	Andreas Tallor, Boris Gasparyan, and Andrew W. Kandel	
10	The Middle to Upper Paleolithic Transition in the Zagros: The Appearance and Evolution of the Baradostian	133
	Sonia Shidrang	

11 Upper Palaeolithic Raw Material Economy in the Southern Zagros Mountains of Iran	157
Elham Ghasidian and Saman Heydari-Guran	
12 Neanderthals and Modern Humans in the Indus Valley? The Middle and Late (Upper) Palaeolithic Settlement of Sindh, a Forgotten Region of the Indian Subcontinent	175
Paolo Biagi and Elisabetta Starnini	
13 Ecological Niche and Least-Cost Path Analyses to Estimate Optimal Migration Routes of Initial Upper Palaeolithic Populations to Eurasia.....	199
Yasuhisa Kondo, Katsuhiro Sano, Takayuki Omori, Ayako Abe-Ouchi, Wing-Le Chan, Seiji Kadowaki, Masaki Naganuma, Ryouta O'ishi, Takashi Oguchi, Yoshihiro Nishiaki, and Minoru Yoneda	
Index.....	213

Contributors

Ayako Abe-Ouchi Atmosphere and Ocean Research Institute, The University of Tokyo, Kashiwa, Japan

Japan Agency for Marine-Earth Science and Technology, Yokosuka, Japan

Talia Abulafia Department of Bible, Archaeology and Ancient Near East, Ben-Gurion University of the Negev, Beer-Sheva, Israel

Takeru Akazawa Research Institute, Kochi University of Technology, Kami, Kochi, Japan

Omry Barzilai Israel Antiquities Authority, Jerusalem, Israel

Anna Belfer-Cohen Institute of Archaeology, The Hebrew University of Jerusalem, Jerusalem, Israel

Paolo Biagi Department of Asian and North African Studies, Ca' Foscari University, Venezia, Italy

Laura Centi Institute of Archaeology, The Hebrew University, Jerusalem, Israel

Wing-Le Chan Atmosphere and Ocean Research Institute, The University of Tokyo, Kashiwa, Japan

Japan Agency for Marine-Earth Science and Technology, Yokosuka, Japan

Boris Gasparyan National Academy of Sciences, Institute of Archaeology and Ethnography, Yerevan, Armenia

Elham Ghasidian Leverhulme Centre for Human Evolutionary Studies, Department of Archaeology & Anthropology, University of Cambridge, Cambridge, UK

Diyar Mehr Institute for Palaeolithic Research, Kermanshah, Iran

Mae Goder-Goldberger Department of Bible, Archaeology and Ancient Near East, Ben-Gurion University of the Negev, Beer-Sheva, Israel

Nigel Goring-Morris Institute of Archaeology, The Hebrew University of Jerusalem, Jerusalem, Israel

Israel HersHKovitz Dan David Laboratory for the Search and Study of Modern Humans, Sackler Faculty of Medicine, Tel Aviv University, Tel Aviv, Israel

Steinhardt Museum of Natural History and National Research Center, Tel Aviv University, Tel Aviv, Israel

Saman Heydari-Guran Leverhulme Centre for Human Evolutionary Studies, Department of Archaeology & Anthropology, University of Cambridge, Cambridge, UK

Diyar Mehr Institute for Palaeolithic Research, Kermanshah, Iran

Seiji Kadowaki Nagoya University Museum, Nagoya University, Nagoya, Japan

Andrew W. Kandel The Role of Culture in Early Expansions of Humans (ROCEEH), Heidelberg Academy of Science and Humanities, University of Tübingen, Tübingen, Germany

Yasuhisa Kondo Research Institute for Humanity and Nature, Kyoto, Japan

Ofer Marder Department of Bible, Archaeology and Ancient Near East, Ben-Gurion University of the Negev, Beer-Sheva, Israel

Masaki Naganuma Center for Ainu and Indigenous Studies, Hokkaido University, Sapporo, Japan

Yoshihiro Nishiaki The University Museum, The University Tokyo, Tokyo, Japan

Takashi Oguchi Center for Spatial Information Science, The University of Tokyo, Kashiwa, Japan

Ryouta O'ishi National Institute of Polar Research, Tokyo, Japan

Takayuki Omori The University Museum, The University Tokyo, Tokyo, Japan

Marion Prevost Institute of Archaeology, The Hebrew University, Jerusalem, Israel

Avraham Ronen Zinman Institute of Archaeology, University of Haifa, Haifa, Israel

Katsuhiko Sano Waseda Institute for Advanced Study, Waseda University, Tokyo, Japan

Gonen Sharon Prehistory Laboratory, East Campus, Tel Hai College, Upper Galilee, Israel

Maayan Shemer Zinman Institute of Archaeology, University of Haifa, Haifa, Israel

Israel Antiquities Authority, Nahlal, Israel

Sonia Shidrang Department of Paleolithic, National Museum of Iran, Teheran, Iran

PACEA-PPP- UMR CNRS 5199, Université Bordeaux, Bordeaux, France

Elisabetta Starnini Department of Historical Studies, University of Turin, Torino, Italy

Andreas Tallor Department of Early Prehistory and Quaternary Ecology, The Institute of Prehistory, Early History and Medieval Archeology, University of Tübingen, Tübingen, Germany

Oz Varoner Department of Bible, Archaeology and the Ancient Near East, The Institute of Prehistory, Early History and Medieval Archeology. University of Tübingen, Beer-Sheva, Israel

Minoru Yoneda The University Museum, The University of Tokyo, Tokyo, Japan

Yossi Zaidner Institute of Archaeology, The Hebrew University, Jerusalem, Israel

Zinman Institute of Archaeology, University of Haifa, Haifa, Israel

- Biglari F (2007) Approvisionnement et utilisation des matières premières au Paléolithique moyen dans la plaine de Kermanshah (Iran): le cas de la Grotte Do-Ashkaft. In: Moncel MH, Moigne A, Arzarello M, Peretto C (eds) Aires 'approvisionnement en matières premières et aires d'approvisionnement en ressources alimentaires Approche intégrée des comportements, Workshop 23, XV Congrès UISPP, Lisbonne, 5. BAR international series 1725. Oxford University, Oxford, pp 227–239
- Binford LR (1979) Organization and formation processes: looking at curated technologies. *J Anthropol Res* 35:255–273
- Blades BS (2001) Aurignacian lithic economy, ecological perspectives from southwestern France. Kluwer Academic/Plenum Publishers, New York
- Brantingham PJ (2003) A neutral model of stone raw material procurement. *Am Antiq* 68(3):487–509
- Conard NJ, Ghasidian E, Heydari S, Zeidee M (2006) Report on the 2005 survey of the Tübingen-Iranian Stone Age Research Project in the provinces of Esfahan, Fars and Kohgiluyeh-Boyerahmad. In: Azarnoush M (ed) Archaeological reports 5. The Iranian Center for Archaeological Research, Tehran, pp 9–34
- Conard NJ, Ghasidian E, Heydari S, Naderi R, Zeidee M (2007a) The 2006 season of the Tübingen-Iranian Stone Age Research Project in the provinces of Fars and Markazi. In: Fazeli H (ed) 9th annual report of archaeological organisation. ICAR. Iranian Center for Archaeological Research, Tehran, pp 43–67
- Conard NJ, Ghasidian E, Heydari-Guran S, Naderi R, Zeidee M (2007b) The 2007 season of the Tübingen-Iranian Stone Age Research Project in Dasht-e Rostam, Fars Province. Unpublished field report. Iranian Center for Archaeological Research, Tehran
- Dibble HL (1984) The Mousterian industry from Bisitun Cave (Iran). *Paléorient* 10(2):23–34
- Féblot-Augustins J (1997) Middle and Upper Paleolithic raw material transfers in western and Central Europe: assessing the pace of change. *J Middle Atlantic Archaeol* 13:57–90
- Fisher LE, Eriksen BV (2002) Lithic raw material economy in late glacial and early postglacial western Europe, introduction. In: Fisher LE, Eriksen BV (eds) Lithic raw material economy in late glacial and early postglacial western Europe. BAR international series 1093. Archeopress, Oxford, pp 1–6
- Geneste JM (1989) Economie des ressources lithiques dans Mousterien du sud-ouest de la France. In: Patou M, Freeman LG (eds) L'Homme de Néandertal 6, la subsistance. ERAUL33. Université de Liège, Liège, pp 75–97
- Ghasidian E (2012a) The Rostamian tradition and the Upper Palaeolithic of the Zagros Mountains. In: Hasanzadeh Y, Miri S (eds) Eighty years of Iranian archaeology. Nashr-e Pazineh and National Museum of Iran, Tehran, pp 59–78 (In Persian)
- Ghasidian E (2012b) The Upper Palaeolithic of Iran and its place among the South-western Asia. In: Fahimi H, Alizadeh K (eds) Namvarnameh, papers in honor of Masoud Azarnoush. Nashr-e Iran Negar, Tehran, pp 129–141 (In Persian)
- Ghasidian E (2014) The Early Upper Paleolithic at Ghār-e Boof Cave; a reconstruction of cultural tradition in the southern Zagros Mountains of Iran. Kerns Verlag, Tübingen
- Ghasidian E, Heydari-Guran S (2012) Report on the 2009 survey on the caves and rockshelters of Eslamabad, Sar Pol Zahab and Qasr-e Shirin; Kermanshah district. Iranian Cultural Heritage and Tourism Organization in Kermanshah, Kermanshah (In Persian)
- Ghasidian E, Azadi A, Heydari S, Conard NJ (2009) Late Paleolithic cultural traditions in the Basht Region of the Southern Zagros of Iran. In: Otte M, Biglari F, Jaubert J (eds) Iran Paleolithic/Le Paléolithique d'Iran. Proceedings of the XV World Congress UISPP, Lisbonne, 4–9 Sept 06. BAR international series 1968. Archaeopress, Oxford, pp 125–140
- Ghasidian E, Bretzke K, Conard NJ (2017) Excavations at Ghār-e Boof in the Fars Province of Iran and its bearing on models for the evolution of the Upper Palaeolithic in the Zagros Mountains. *J Anthropol Archaeol* 47:33–49
- Heydari S (2004) Rohmaterialvorkommen für Stein in Iran Einige Fallstudien. In: Stöllner T, Slotta R, Vatandoust A (eds) Persiens antike Pracht. Bergbau Museum, Bochum, pp 124–129
- Heydari S, Azadi A, Ghasidian E (2004) Paleolithic survey in Southwestern Zagros, Basht Valley. Unpublished manuscript. Iranian Center for Archaeological research, Tehran (in Parsi)
- Heydari-Guran S (2014) Paleolithic landscapes of Iran. BAR international series 2586. BAR Publishing, Oxford
- Heydari-Guran S (2015) Tracking upper Pleistocene human dispersals into the Iranian Plateau: a geoarchaeological model. In: Sanz N (ed) Human origin sites and the world heritage convention in Eurasia. HEADS 4, vol 1. UNESCO publication, Mexico, pp 40–53
- Heydari-Guran S, Ghasidian E (2004) Geoarchaeological research in Takht-e Soleyman, travertine context according to new archaeological findings of the late Pleistocene. In: Azarnoush M (ed) Second congress of archaeology of north-west; Urmia. ICAR, Tehran, pp 27–44 (In Persian)
- Heydari-Guran S, Ghasidian E (2012) Report on the 2009 survey on the caves and rockshelters of Kermanshah, Dalahoo and Gilan-e Gharb; Kermanshah district. Iranian Cultural Heritage and Tourism Organization in Kermanshah, Kermanshah (In Persian)
- Hole F, Flannery K (1967) The prehistory of southwestern Iran: a preliminary report. *Proc Prehist Soc* 33:147–206
- Ikeda J (1979) Preliminary report of an archaeological survey in Arsanjan area, Fars Province, Iran, 1977. Kyoto University, Kyoto
- Kuhn SL (1995) Mousterian lithic technology; an ecological perspective. Princeton University Press, Princeton
- Miller R (1997) Variability in lithic assemblages across space: differential responses to raw material context. *Notae Praehistoricae* 17:53–62
- Olszewski DI (1993) The Late Baradostian occupation at Warwasi rockshelter, Iran. In: Olszewski D, Dibble H (eds) The Paleolithic prehistory of the Zagros-Taurus. The University Museum, University of Pennsylvania, Philadelphia, pp 186–206
- Olszewski DI, Dibble HL (1994) The Zagros Aurignacian. *Curr Anthropol* 35(1):68–75
- Olszewski DI, Dibble HL (2006) To be or not to be Aurignacian: the Zagros Upper Paleolithic. In: Bar-Yosef O, Zilhão J (eds) Towards a definition of the Aurignacian Proceedings of the Symposium held in Lisbon, Portugal, June 25–30, 2002. Instituto Português de Arqueologia Lisboa, Lisbon, pp 355–373
- Otte M, Biglari F, Flad D, Shidrang S, Zwyns N, Mashkour M, Naderi R, Mohaseb A, Hashemi N, Darvish J, Radu V (2007) The Aurignacian in the Zagros region: new research at Yafteh Cave, Lorestan, Iran. *Antiquity* 81:82–96
- Otte M, Shidrang S, Flad D (2012) The Aurignacian of the Yafteh Cave and its context (2005–2008 excavations). ERAUL 132. Université de Liège, Liège
- Rosenberg M (1988) Paleolithic settlement pattern in the Marv Dasht, Fars Province, Iran. Unpublished Ph.D. dissertation. University of Pennsylvania
- Shidrang S (2015) The early Upper Paleolithic of Zagros: Techno-typological assessment of three Baradostian lithic assemblages from Khar Cave (Ghar-e Khar), Yafteh Cave and Pa-Sangar Rockshelter in the Central Zagros, Iran. Unpublished Ph.D. dissertation. Université de Bordeaux
- Shott M (1986) Technological organization and settlement mobility: an ethnographic examination. *J Anthropol Res* 42(1):15–51
- Solecki RS (1963) Prehistory in Shanidar Valley northern Iraq. *Science* 139(1551):179–193

Neanderthals and Modern Humans in the Indus Valley? The Middle and Late (Upper) Palaeolithic Settlement of Sindh, a Forgotten Region of the Indian Subcontinent

Paolo Biagi and Elisabetta Starnini

Abstract

This paper discusses the Middle and Late (Upper) Palaeolithic sites of Sindh (Pakistan), a region of the Indian Subcontinent of fundamental importance for the study of the spread of both Neanderthals and Anatomically Modern Humans (AMH) in south Asia.

Most of the Middle Palaeolithic assemblages known to date were collected during the geological surveys carried out during the 1970s in Lower Sindh by Professor A.R. Khan, and the short visits paid to Upper Sindh by B. Allchin. More finds were discovered by the Italian Archaeological Mission during the last 30 years mainly at Ongar, near Hyderabad (Lower Sindh), and the Rohri Hills, near Rohri (Upper Sindh).

The presence of characteristic Levallois Mousterian assemblages at Ongar, and other sites west of the Indus River, opens new perspectives to the study of the dispersal of Neanderthal groups, whose south-easternmost spread has systematically been avoided by most authors.

Although the presence of typical Levallois Mousterian assemblages attributed to Neanderthals has been recorded from Iran, Afghanistan, Uzbekistan, and former Soviet Central Asia, the presence of similar complexes in the Indian Subcontinent is very scarce. The occurrence of typical Levallois cores, flakes, blades, points, Mousterian scrapers and one Mousterian point at Ongar is suggested to mark the south-easternmost limit of this cultural aspect. In contrast, the Middle Palaeolithic of the Indian Subcontinent is mainly characterized by unretouched flake assemblages and scrapers. Levallois points and flakes have already been described as a minor component of the so-called “Late Soan” complexes of the Punjab along the same western bank of the Indus in north Pakistan.

Even more complex is the definition of the earliest Late (Upper) Palaeolithic assemblages in the study region. In contrast with what previously suggested, Late (Upper) Palaeolithic sites are quite common in some areas of Lower Sindh, among which are the Mulri Hills (Karachi) and Jhimpir (Thatta). The assemblages from Karachi region sites are characterized by subconical cores with bladelet detachments, curved, backed points, bladelets, lunates of different shape and size, and, in a few cases, a high percentage of burins. The situation in Upper Sindh is absolutely different. The Rohri Hills yielded evidence of an impressive number of Late (Upper) Palaeolithic flint workshops, characterized by subconical

P. Biagi (✉)
Department of Asian and North African Studies, Ca' Foscari
University, Ca' Cappello, San Polo 2035, I-30125 Venezia, Italy
e-mail: pavelius@unive.it

E. Starnini
Department of Historical Studies, University of Turin,
Via S. Ottavio 20, I-10124 Torino, Italy
e-mail: elisabetta.starnini@unito.it

bladelet and bladelet-like flakelet cores, and impressive amounts of debitage products. A similar situation has been recorded also from Ongar (Milestone 101), where modern limestone quarrying still underway has destroyed all the archaeological sites.

To conclude: Sindh is a very important region for the study of the Palaeolithic of the Indian Subcontinent and its related territories. It is unfortunate that our knowledge of this important territory is very scarce, and its archaeological heritage is under systematic destruction.

Keywords

Indus Valley • Thar Desert • Levallois Mousterian • Blade and Burin Assemblages • Neanderthal and Modern Human Dispersal

12.1 Introduction

The scope of this paper is to overview and discuss the Middle and Late (Upper) Palaeolithic assemblages of Sindh (Pakistan), and to frame them into the wider picture of the archaeology of the same periods in Eurasia.

The Indus Valley, Sindh in particular, is a territory of fundamental importance for the study of the relationships between west and east from prehistory to the present (Holdich 1910; Panhwar 1983; Baloch 2002; Boivin 2008). This is due to the unique geographic and morphologic characteristics of the country located, as it is, to separate the uplands of Iran, in the west, from the Great Indian (or Thar) Desert, in the east, midway between the high mountain ranges of the Hindu Kush and Himalayas, in the north, and the Arabian Sea, in the south (Lambrick 1986).

Sindh is the south-easternmost province of present-day Pakistan. Its western territory consists mainly of limestone formations (Blanford 1880; Vredenburg 1909; Bender and Raza 1995; Naseem et al. 1996), some of which are very rich in good-quality flint sources (Biagi 2008a; Biagi and Starnini 2008; Biagi and Nisbet 2010); the central part is represented by the alluvial plain of the Indus River, the course of which varied greatly from prehistory to the present (Flam 1984, 1999, 2006; Wilhelmy 1966, 1968), and its delta, whose fan is continuously widening toward the Arabian Sea (Tremenheere 1867; Prins et al. 2000; Giosan et al. 2006); the eastern part is covered by the Great Indian (or Thar) Desert sand dunes that are dotted with saltwater, perennial basins (Goudie et al. 1973; Bakliwal and Wadhawan 2003).

Given the above premises it is hard to believe that little attention has ever been paid to the Palaeolithic of the Indus Valley, Sindh in particular, apart from the well known contributions provided by B. Allchin and her collaborators in the late 1970s (Allchin 1976, 1979; Allchin et al. 1978). Palaeolithic assemblages have been rarely reported from Pakistan before the mid 1970s, when the first Late (Upper) Palaeolithic sites were discovered in Sindh (see for instance

Krishnaswamy 1947; Gordon 1958; Khatri 1962; Coles and Higgs 1975; Fairservis 1975; and also Chakrabarti 1999).

Regarding the Middle Palaeolithic period, the problem of the south-easternmost spread of the Neanderthal sub-groups, from the Near East, has never been considered by most authors until the 2010s, with very few exceptions (see for instance Bar-Yosef 2000, p. 142; 2011, Fig. 11.1; Costa 2013; Finlayson and Carrión 2007, Fig. 1). The problem is still nowadays scarcely taken into consideration by most authors (see Bar-Yosef 2011). In contrast the importance of Sindh as a coastal route across which modern humans moved on their way to the southern regions of the Indian subcontinent has been recently reconsidered (Mellars 2006; Bulbeck 2007; Field et al. 2007; Dennell and Petraglia 2012; Bar-Yosef and Belfer-Cohen 2013; Mellars et al. 2013).

It is well known that east of the Levant *Homo neanderthalensis* fossil remains have been uncovered from several sites, whose distribution covers a wide territory between the Taurus and Zagros Mountains in the west (Solecki and Solecki 1993; Trinkaus and Biglari 2006), and former Soviet Central Asia and Siberia in the east (Okladnikov 1949; Movius 1953a, b; Abramova 1984; Vishnyatsky 1999: 112; Trinkaus et al. 2000; Derevianko 2004; Flas et al. 2010; Glantz 2010; Dobrovolskaya 2014; Mednikova 2014), with a wide gap between the two regions.

In contrast different types of Levallois Mousterian lithic complexes (Clark and Riel-Salvatore 2006) that characterize the Middle Palaeolithic Eurasian chipped stone assemblages (Van Peer 1995; Dibble and Bar-Yosef 1995), are known from the Iberian Peninsula (Giles Pacheco et al. 2000) to Central Asia and beyond (Ranov and Gupta 1979; Derevianko and Pétrine 1995; Derevianko et al. 1998; Derevianko and Markin 1999; Krakhmal 2005; Ranov et al. 2005, Krause et al. 2007; Bar-Yosef and Wang 2012). In a few of the above regions Neanderthals are thought to have survived until the beginning of the Upper Palaeolithic (Szymczak 2000, p. 125; Derevianko et al. 2004; Vishnyatsky and Nehoroshev 2004; Shunkov 2005; Rybin and Kolobova 2009).

Levallois chipped stone assemblages whose characteristics differ from those of Eurasia (Beyin 2006, 2011, p. 7) were manufactured also by Middle Palaeolithic anatomically modern humans in north and northeastern Africa and the Levant (Demidenko and Usik 1993; Bar-Yosef 2000, p. 140; Hublin 2000, p. 163).

The results obtained from a systematic programme of radiometric dating has showed how complex the available data are to interpret, and how further investigation is highly needed (Kadowaki 2013). Many authors suggest that the Initial Upper Palaeolithic (IUP) of the Levant developed from Middle Palaeolithic Levantine Mousterian complexes (Kuhn et al. 2009), which typologically differ from those of northeastern Africa (Beyin 2006, p. 24).

The material culture of *H. neanderthalensis* is characterized by different types of Middle Palaeolithic lithic complexes, often referred as Mousterian with variable percentages of Levallois artefacts, whose debitage technology (Boëda 1994, 1995) shows that different methods can produce identical or different types of artefacts (Meignen 1998).

The available evidence shows that the Middle Palaeolithic human dispersal was much more complex than previously suggested (Forster 2004; Petraglia 2007; Glantz 2010; Scerri et al. 2014; Bolus 2015; López et al. 2015). In most papers concerning the problem, with very few exceptions (Finlayson and Carrión 2007, Fig. 1), a question mark constantly recurs in the north-western part of the Indian Subcontinent distribution maps regarding the spread of *Homo* sp. (Bar-Yosef 2000, Fig. 18; 2011, Fig. 11.1; Henke 2006, Abb. 4; Henke and Hardt 2011, Fig. 3.8). This is due mainly to the virtual absence of human remains (Athreya 2007, 2010; Costa 2013; Rightmire 2015), and our limited knowledge of sites of this period in the entire Subcontinent (Chauhan and Patnaik 2012, Table 1).

One of the most important and unexplored issues regards the south-easternmost spread/distribution of both *H. neanderthalensis* and Levallois assemblages (Finlayson 2004; Bar-Yosef 2000, 2011). At present Levallois Mousterian industries attributed to the Neanderthals are known from the coast of Iranian Makran (Vita-Finzi and Copeland 1980), the Hormuz Strait islands (Dashtizadeh 2010), Iran (Coon 1951; Hole and Flannery 1968; Smith 1986; Roustari et al. 2004; Jaubert et al. 2009; Bazgir et al. 2014), Afghanistan (Dupree et al. 1970; Dupree 1972; Davis 1978), and former Soviet Central Asia (Ranov 1976, p. 102; Movius 1953a; Ranov and Gupta 1979; Ranov et al. 2005). Characteristic Levallois complexes (Baumler 1995, p. 19; Boëda 1995) are very rare in the Indian Subcontinent, with the exception of a few surface assemblages and isolated finds from the Indus Valley, among which are those from Lower Sindh (Biagi 2006; Biagi and Starnini 2014a, b), and perhaps the Indian Thar Desert (Blinkhorn 2014).

Given the above premises, and our little knowledge of the Late (Upper) Palaeolithic in the entire Indian Subcontinent, Pakistan included, it is not surprising that most western authors had paid little or no attention to the region, for instance discussing the problem of the Middle to Late (Upper) Palaeolithic transition in south Asia (Brantingham et al. 2004; Kuhn et al. 2004; Derevianko 2010, 2011a, b; Derevianko et al. 2014).

12.2 The Levallois Mousterian Assemblages of Lower Sindh

Typical Levallois Mousterian assemblages and isolated tools are known from a few sites in Lower Sindh, west of the Indus (Fig. 12.1). At present the most important is Ongar (Biagi 2005), also reported as Milestone 101 by B. Allchin (1976, p. 486), located some 27 km southwest of Hyderabad. During the 1970s surveys, B. Allchin recovered assemblages and workshops of different Palaeolithic periods on the top of the easternmost, horseshoe-shaped, limestone terrace, one of which she attributed to the Middle Palaeolithic (Allchin et al. 1978, Table 8.9b).

Professor A.R. Khan, of the Department of Geography, Karachi University, revisited the area in the late 1970s, when the sites were being destroyed by extensive limestone quarrying (Fig. 12.2). During his fieldwork he noticed “*the presence of the Levalloisian industry in the area beyond any doubt*” (Khan 1979b, p. 80). From Ongar this author rescued hundreds of Levallois artefacts, among which are typical turtle-shaped cores with flake detachments (Fig. 12.3), unretouched and retouched points, flakes, a few wide blades, and different types of side and transversal scrapers with faceted “*chapeau de gendarme*” butts, as well as one typical Mousterian straight point with covering retouch on its dorsal face (Fig. 12.4). It is important to point out that whenever these tools had been collected from a European site they would be referred to Neanderthal activities.

Ongar and the neighbouring limestone terraces of Daphro and Bekhain were systematically surveyed between 2005 and 2008 by one of the authors (PB) (Biagi 2005; Biagi and Franco 2008). During four fieldwork seasons, Levallois artefacts were collected from the upper part of a profile visible along the northern bank of a seasonal stream that flows eastwards down to the village of Ongar (Biagi and Nisbet 2011) (Fig. 12.2). A few more tools, among which are Levallois flake cores, were collected from the surface of one of the mesas.

Other typical, small Levallois Mousterian assemblages and isolated tools, were collected from a few other sites located immediately to the east of Karachi, among which




Fig. 12.1 Distribution map of the Levallois Mousterian assemblages and tools of Lower Sindh. 1: Ongar, 2: Mulri Hills, Karachi, 3: Deh Konkar, 4: Landhi, 5: Arzi Got (From Biagi and Starnini 2014b: Fig. 1)

are the Mulri Hills, Landhi, Deh Konkar (Khan 1979a, p. 13; Blinkhorn et al. 2015) and the Laki Range (Biagi 2008b). One more characteristic Levallois Mousterian flake with a faceted butt was collected from the surface of a limestone terrace close to the Baloch village of Arzi, east of the national road, some 38 km north of Jamshoro (Biagi 2010, p. 2).

12.3 The Middle Palaeolithic Assemblages of Upper Sindh and the Thar Desert

Middle Palaeolithic chipped stone artefacts have been recovered also from the Rohri Hills in Upper Sindh (Allchin 1976), the central-western terraces of which were systematically surveyed between 1994 and 2002 as one of the activities




Fig. 12.2 Ongar: Location of the area that yielded Levallois artefact rediscovered in 2006 (*circle*)

of the Joint Rohri Hills Project carried out by Ca' Foscari University of Venice (I) and Shah Abdul Latif University, Khairpur (PK) (Starnini and Biagi 2011).

The Rohri Hills are limestone formations, whose deposits are rich in excellent quality flint seams (Blanford 1880; De Terra and Paterson 1939, p. 331). The hills elongate in north-south direction east of the course of the Indus. Their landscape has been described as a steppe desert characterized by

very low precipitation (Majumdar and Sharma 1964; Seth 1978, Fig. 14.2), with a June maximum temperature of some 46° Celsius (Ahmad 1951). Some of the Rohri Hills terraces are literally covered with archaeological sites. Among these are hundreds of flint knapping workshops of different periods, from Acheulian Palaeolithic hand-axe manufacturing areas to Mature Indus Civilization debitage heaps that consist of thousands of bladelets and bullet cores (Allchin 1976,

Fig. 12.3 Ongar: *turtle-shaped*, Levallois flakelet cores from A.R. Khan's collection (Photographs by P Biagi)



1979; Allchin et al. 1978; Biagi and Cremaschi 1988, 1991; Starnini and Biagi 2011).

A few years ago F. Negrino and M.M. Kazi (1996) proposed a chrono-typological sequence for the Rohri Hills Palaeolithic industries that they subdivided into six main “Series” on the basis of the techno-typological characteristics of the artefacts, their physical condition, degree of weathering, colour and thickness of surface patina. Their Middle Palaeolithic Series 5 includes implements that “resemble Levallois flakes with the presence of dihedral and faceted platforms” as well as two cores “with centripetal removals, very similar to Levallois types” (Fig. 12.5). A few isolated Levallois-like artefacts, with flat or dihedral platforms, were collected from the surface of Ziārāt pir Shābān, from which many Acheulian workshops were also recovered and partly excavated (Biagi et al. 1996).

Series 6 of their proposed sequence consists mainly of subconical blade and blade-like flake cores, blade-like flakes and blade by-products recovered *in situ* from hundreds of workshops that were attributed to the beginning of the Late (Upper) Palaeolithic (Negrino and Kazi 1996, p. 36; Biagi et al. 1998–2000).

The eastern and southern fringes of the hills are surrounded by the westernmost dunes of the Great Indian Desert (or Thar Desert) from which many Palaeolithic lithic assemblages have been discovered, among which are a few Levallois artefacts with “preparation of the striking platform” (Allchin et al. 1978, p. 311). In contrast, typical Levallois cores and tools have never been recovered from any of the Thar Desert sites of Upper Sindh surveyed by the present authors, although they are reported from one of the Rohri Hills sites by Allchin et al. (1978, Table 8.3). These authors do not mention their presence at Nawab Panjabi (Unnar) and Chancha Baluch (Fig. 12.6), in the southwestern part of the Rohri Hills, as well as at Hokra,

Gurha and Shambar Lake, and other sites of the Great Indian Desert of Rajasthan. Palaeolithic tools, among which are also a few Levallois-like flakes with oblique, flat platform, were collected from “Unnar Hill”, some 300 m east of Unnar in the Rohri Hills (Biagi and Cremaschi 1988, p. 429).


Moving north, Levallois cores and flakes are known from Sanghao Cave in the NWF (Allchin 1973; Salim 1986). They are reported also from the “Late Soan B” assemblages of Punjab, in north Pakistan (Movius 1944, p. 28; 1948; Krishnaswamy 1947; De Terra and Paterson 1939, Plate XLII).

12.4 The Late (Upper) Palaeolithic Assemblages

The discovery of Late (Upper) Palaeolithic sites in Sindh derives from the research conducted in the 1970s by B. Allchin and A.R. Khan in two distinct regions. In those years, while B. Allchin noticed that the assemblages of some Rohri Hills flint workshops (Allchin 1976, p. 479) were “based upon the manufacture of parallel-sided blades from unidirectional cores” (Allchin et al. 1978, p. 320), Professor A.R. Khan emphasized the recurrence of a well-defined type of point, “*aknifelike tool, with strongly curved and steeply blunted back and very sharp and more or less straightcutting edge*” that he considered the most characteristic implement of the Late (Upper) Palaeolithic assemblages of the Karachi region (Khan 1979a, p. 13).

The above discoveries were made roughly a decade after the excavation of Sanghao Cave in north-western Pakistan (Dani 1964; Allchin 1973; Ranere 1982); while the excavations at Riwayat 55, the suggested oldest Late (Upper) Palaeolithic site of Pakistan, TL-dated around 45,000 BP

Fig. 12.4 Ongar: Levallois
Mousterian tools from
A.R. Khan's collection
(Drawing by P. Biagi, inking
G. Almerigogna)



(Rendell and Dennell 1987), were carried out only in the early 1980s (Rendell et al. 1989).


Recent finds, new excavations and the study of old collections have slowly improved our knowledge of the Late (Upper) Palaeolithic of Sindh. On the basis of the technological characteristics of the chipped stone assemblages five different districts have yielded sites of this period: (1) the territory around Karachi and the Mulri Hills in particular, (2) Jhampir (Thatta), (3) the Ongar and Daphro Hills (Hyderabad), (4) Ranikot (Jamshoro) and (5) the Rohri Hills (Sukkur/Rohri) (Biagi 2017b) (Fig. 12.7).

12.4.1 Karachi and Its Surroundings

The geomorphology and evolution of Karachi basin have been studied by Professor A.R. Khan (1979b, c). According to this author “the coastal area near Karachi reveals a series of raised beaches and marine terraces” (Khan 1979a, p. 19), the highest of which, some 50 m high, capped by wind-blown sand, yielded evidence of Late (Upper) Palaeolithic and Mesolithic occupations.

Other sites of these periods were discovered in the Hab River valley (Mendiari), along the banks of watercourses that

Fig. 12.5 Rohri Hills: Middle Palaeolithic artefacts of Series 5 (Drawing F. Negrino, inking by G. Almerigogna)



flow into the Malir River, at Rehri, facing Khadiro Creek, and the Mulri Hills, at the eastern outskirts of Karachi (Khan 1979a) (Fig. 12.7: 1). The variability of the tool types collected from the above sites, the limited information regarding their recovery, as well as their approximate location, in absence of GPS recording systems, make the precise chronological attribution of each complex sometimes doubtful.


Very important Late (Upper) Palaeolithic and Mesolithic sites were discovered in the 1970s by Professor A.R. Khan on the Mulri Hills (Fig. 12.8). The hills, some 70 m high, elevate between the courses of the Layari and Malir Rivers, east of Karachi. They consist of variegated beds developed on the sedimentary bedrock of the Miocene Upper Gaj formation (Zaidi et al. 1999).

Prehistoric sites were mainly discovered along the southern upper slopes of the hills, close to two main faults, along which several springs opened (A.R. Khan pers. comm 2002;

Biagi 2003–2004). Narrow, seasonal streams originating from the above springs flow southward into the Malir River, which they join some 10 km north of Ghizri Creek.

MH-16 is the only homogeneous Late (Upper) Palaeolithic site discovered on the hills. The assemblage is composed of 425 artefacts obtained from flint pebbles whose source or outcrops are at present unknown. It consists of 90 cores, 147 complete, unretouched artefacts, 103 unretouched fragments, among which are 45 blades and bladelets, 62 tools, 3 burin spalls, 14 crested blades and flakes and 6 microburins (Fig. 12.9: 45–48). The retouched tools are represented by 14 burins (Fig. 12.9: 1–8), 3 end scrapers (Fig. 12.9: 9, 10), 4 truncations (Fig. 12.9: 11), 1 triangle (Fig. 12.9: 33), 19 curved backed points (Fig. 12.9: 12–17, 19–27, 29, 35, 36), 5 curved points on thick, triangular flakes (Fig. 12.9: 28, 30–32), 1 thick backed blade (Fig. 12.9: 18), 5 backed bladelets (Fig. 12.9: 34, 40–44), 2 backed bladelets and truncation

Fig. 12.6 Rohri Hills: distribution map of the areas that yielded Middle Palaeolithic artefacts (Drawing by P. Biagi)



(Fig. 12.9: 39), 2 backed points (Fig. 12.9: 37, 38), 4 side scrapers, and 1 flakelet with abrupt retouch. The tools are mainly obtained from bladelets or bladelet-like flakelets of normolithic size (2.5 to 5 cm long), and also from blades and blade-like flakes (5–10 cm long). Other sites of the Karachi area that yielded Late (Upper) Palaeolithic assemblages are Mendiari (Fig. 12.7: 2), Rehri 4a (Fig. 12.7: 3), Deh Konkar (Fig. 12.7: 4), and Ran Pethani 9 (Fig. 12.7: 5). Characteristic curved backed points, attributable to this period, were collected also from Langeji, Kadeji and Jorando gorges, Kankar Nala, Khar Nai and Bakran.

12.4.2 Jhimpir

The area around Jhimpir (Thatta) was first visited by W.T. Blanford in the late 1880s. From Jhimpir Blanford reported the presence of “cherty and flinty limestones” close to the railway station (Blanford 1880, p. 153). The surveys were resumed by the Italian Archaeological Mission in 2010 along the terraces south and southwest of the village. They led to the discovery of many sites (Fig. 12.7: 6), most of which were attributed to the Late (Upper) Palaeolithic (Biagi 2011).




Fig. 12.7 Distribution map of the Late (Upper) Palaeolithic sites mentioned in the text. 1: Mulri Hills, 2: Mendiari, 3: Rehri, 4: Deh Konkar, 5: Ran Pethani, 6: Jhimpir, 7: Jhimpir W1, 8: Ongar and Daphro, 9:

Ranikot, 10: Rohri Hills, Shadee Shaheed, 11: Sukkur, 12: Unnar, 13: Southernmost hills. The larger dots show greater complexes (Drawing by P. Biagi)

The Jhimpir sites consist of lithic scatters lying on the eroded surface of Kirthar limestone weathered terraces. Their distribution is delimited by a well known freshwater spring (Blanford 1880, p. 153), in the north, an elongated flint outcrop, in the south, and the artificial Kalri Lake depression, in the east (Fig. 12.10), which was formerly filled with the waters of Sonehri and Kinjhar basins (Khan 1979a, p. 16; see also Tremeneheere 1867, map).

At least 15 of the lithic spots recovered from Jhimpir have been attributed to the Late (Upper) Palaeolithic. Sites JHP-1,

JHP-7 and JHP-9 yielded also a few microlithic lunates (Biagi 2011, fig. 5–7). The Jhimpir artefacts are chipped from local, light grey nodular flint (2.5Y7/1–7/2: Munsell Soil Color Charts 1992). They are often coated with a thin dark greyish brown (2.5Y3/2) to dark brown (7.5Y3/3) patina due to exposure and weathering.

Two outcrops, labelled JHP-21 and JHP-28 respectively, are known south and southwest of the main cluster of Late (Upper) Palaeolithic sites (Biagi and Nisbet 2010). A short survey conducted in January 2011 led to the




Fig. 12.8 Environmental setting of the Mulri Hills between the Layari and Malir Rivers (Karachi). The detailed distribution of the MH sites, according to A.R. Khan's field map, is in the *upper, right* corner. Other sites along the Layari and at Rehri are also shown (Drawing by P. Biagi)

discovery of another good quality flint source along the southern edge of the limestone terrace (JHP-30), some 5–6 kms west-south west of JHP-21. Another Late (Upper) Palaeolithic spot of lithic artefacts, covering a surface of some 20 sqm, was discovered some 1 km to the west of JHP-30, at $24^{\circ}58'53.9$ N – $67^{\circ}57'25.0$ E (JHP-W1) (Fig. 12.7: 7). One prismatic core with bladelet detachments, 1 abrupt retouched flakelet, and many fragments of laminar blanks and debitage flakelets were recorded on its surface.

12.4.3 Ongar and Daphro Hills

Apart from the Late (Upper) Palaeolithic industries described by B. Allchin et al. (1978, p. 300), and despite the recent limestone mining activities, a few large Late (Upper) Palaeolithic workshops and isolated finds were found still intact in some areas of the hills in 2008 (Fig. 12.7: 8). The Late (Upper) Palaeolithic assemblages from Ongar consist of subconical and prismatic cores with bladelet and bladelet-like flakelet detachment, bifacial picks (Fig. 12.11), and very rare burins. Workshops consisting of thousands of debitage products, coated with a desert brown patina (7.5YR4/6) caused by exposure and weathering, were recorded also from the neighbouring terrace of Daphro (Fig. 12.12).

12.4.4 Ranikot Fort

The Late (Upper) Palaeolithic site of Ranikot Fort (RNK-1: Fig. 12.7: 9) was discovered on the surface of a Kirthar limestone terrace (Blanford 1867, p. 15) at 165 m of altitude, some 720 m northwest of Sann Gate (Biagi 2017b) (Fig. 12.13). The terrace is delimited, in the east, by the deep incision of a seasonal stream that flows southward into the Nai Rann or Sann River (Blanford 1880, p. 135).

The chipped stone assemblage was collected from an eroded surface. The central point of the site, covering a surface of at least 500 sqm, is $25^{\circ}53'11.190$ N – $67^{\circ}55'29.486$ E. No clear concentration of artefacts was noticed, although they were mainly distributed toward the edge of the terrace.

The artefacts are obtained from small pebbles of local flint, which is quite common to the limestone that covers the Ranikot formation (Blanford 1880, p. 135). The chipped stone assemblage is weathered, coated with an olive yellow patina (2.5Y6/6) with small, lighter spots. Some specimens show a few, small *concassage* detachments (i.e. taphonomic retouch or pseudo-retouch: Kolobova et al. 2012), due to either a slight movement from their original position, or trampling. No traces of the original Pleistocene soil were noticed all over the area.

The industry consists of 19 cores (Fig. 12.14: 8–23), 121 unretouched artefacts, 4 burins (Fig. 12.14: 1–4), 1 crested blade, 12 core rejuvenations (Fig. 12.14: 6) and 1 splintered




Fig. 12.9 Mulri Hills, site 16 (MH-16). 1-8: Burins, 9, 10: End scrapers, 11: Truncation, 12-17, 19-28, 30: Curved, backed points, 18: Thick backed blade, 29, 31, 32, 35: Thick, curved points, 33: Triangle, 36-39: Backed points, 34, 41-44: Backed bladelets, 40: Backed bladelet and truncation, 45-48: Microburins (Drawings by P. Biagi, inking by G. Almerigogna)




Fig. 12.10 Jhimpir: Distribution map of the Late (Upper) Palaeolithic sites discovered on the limestone terrace facing the artificial Kalri Lake. The precise location of all the JHP sites is shown in the *upper left* cor-

ner. The *larger circles* show the location of flint sources JHP-21, JHP-28 and JHP-30. Site JHP-W1 lays some 6.5 kms west south west of the main group (Drawing by P. Biagi)

piece (Fig. 12.14: 5). The cores are small, exhausted, subconical (10) or prismatic (9) with bladelet or bladelet-like flakelet detachments (Fig. 12.14: 8–23) on one surface. The platform is flat or slightly concave, obtained with one or more removals. Some of the cores are thin; others show traces of cortex.

All the burins are obtained from flakelets. One is simple with one lateral blow (Fig. 12.14: 1), 1 simple with two opposed, lateral blows (Fig. 12.14: 2), 1 simple with two transversal blows (Fig. 12.14: 3), 1 on retouch with two parallel, lateral blows (Fig. 12.14: 4). The splintered piece is on a bladelet.

12.4.5 The Rohri Hills

W.T. Blanford was the first to describe the geomorphologic characteristics of the Rohri Hills (Blanford 1880, pp. 101–107) that he attributed to the Brahui limestone formation (Blanford 1877). The same author also reported the first recovery of flint artefacts near Sukkur and Rohri, at the northern edge of the hills, in 1866–1867 (Blanford 1880, p. 20).

Some 70 years later H. De Terra and T.T. Paterson collected a few chipped stone tools from the top of a few small limestone terraces at Sukkur, west of the course of the Indus (De Terra and Paterson 1939, pp. 330–336) (Fig. 12.7: 11). They attributed the finds, among which are a few unretouched artefacts and one subconical bladelet core, coated with a dark brown desert patina, to their lithic Group A. According to their description this assemblage can be attributed to the Late (Upper) Palaeolithic period (De Terra and Paterson 1939, Plate XLV).

B. Allchin revisited the area in the mid 1970s. She discovered a few Late (Upper) Palaeolithic working floors at Chancha Baloch, some 4 km from Kot Diji, and Unnar (incorrectly reported as Nawab Punjabi) (Fig. 12.1: 12) (Allchin 1976, p. 479; Allchin et al. 1978, pp. 278–288).

The Joint Rohri Hills Project resumed the research in the area in the 1980s. Only during the 1990s it became clear that all the terraces of the central-western edge of the hills, east of the shrine of Shadee Shaheed, were spotted with hundreds of Late (Upper) Palaeolithic workshops (Biagi et al. 1995, p. 23).

The chipped stone artefacts were often displaced around the edge of man-made, oval depressions filled with wind-




Fig. 12.11 Ongar. 1–7: Late (Upper) Palaeolithic cores, 8, 9: bifacial picks (After Biagi and Franco 2008: Fig. 5)

blown sand, from which the surface covered with limestone pebbles had been removed by prehistoric knappers (Fig. 12.1: 10). The workshops were characterized by scatters of thousands of brown, patinated debitage products (10YR4/3),

subconical and prismatic bladelet and bladelet-like flakelet cores, pre-cores, flint hammerstones, crested blades and, in a few cases, bifacial picks (Fig. 12.15) (Biagi et al. 1994, 1998–2000; Biagi 2008a).



Fig. 12.12 Daphro: Late (Upper) Palaeolithic workshop made of thousands debitage flakes and cores (Photograph by P. Biagi)




Fig. 12.13 Ranikot Fort: Location of the Late (Upper) Palaeolithic site RNK-1 and characteristics of the same site (*upper left corner: drawing and photograph by P. Biagi*)




Fig. 12.14 Ranikot Fort: Late (Upper) Palaeolithic assemblage from RNK-1. 1–4: Burins, 5: Splintered bladelet, 6: Core rejuvenation flake, 7: Bladelet, 8–23: Subconical and prismatic cores (Drawings by P. Biagi, inking by G. Almerigogna)

The micro-morphologic analysis of the soil of Workshop ZPS-2 (Biagi et al. 1998–2000, p. 116), shows that the Rohri Hills workshops formed during an “*arid climatic phase that characterized the second part of the last glacial*” most probably around the beginning of the Late (Upper) Palaeolithic (Negri and Kazi 1996, p. 36).

12.5 Discussion

As already suggested by the present authors the Levallois Mousterian assemblages of Lower Sindh might represent the south-easternmost spread of *H. neanderthalensis* (Biagi 2006, 2008a; Biagi and Starnini 2014a, b). The available dis-

Fig. 12.15 Rohri Hills:
Surface of a Late (Upper)
Palaeolithic workshop with
debitage flakes and bladelet
cores (Photograph by
P. Biagi)



tribution, which is delimited to the east by the course of the Indus, might correspond to a geographic/ecologic barrier, as already proposed for a purely theoretical dispersal route followed by AMH (Stock et al. 2007, Fig. 1). Although we know almost nothing of the Late Pleistocene location and environmental characteristics of the Indus delta (von Rad and Tahir 1997; Prins et al. 2000, p. 346; Inam et al. 2007, p. 336), nevertheless we can argue that during the OIS5-OIS3 the morphology of Lower Sindh was dramatically different from that of both present and Hellenistic periods (Haigh 1894; Wilhelmy 1968; Eggermont 1975; Biagi 2017a).

The Levallois Middle Palaeolithic chipped stone assemblages of Lower Sindh were collected from sites located along the western side of the Lower Indus Valley. This evidence is so far unique for the Indian Subcontinent. It opens an important debate on a few major topics among which are (1) the south-easternmost distribution of the Levallois Mousterian, and its eventual relationships with the Middle Palaeolithic of the Indian Subcontinent, (2) the techno-typological and chronological sequence of the Palaeolithic complexes in Sindh, (3) the easternmost distribution of the Aurignacian/Baradostian and its eventual relationships with the earliest Late (Upper) Palaeolithic industries of the Indian Subcontinent, (4) the definition of the human groups responsible for the production of all the above assemblages (Bulus 2015, p. 2388), (5) the chronology of the events that took place in the area during the Middle and Late (Upper) Palaeolithic, and the problems related with the eventual replacement of Neanderthals by AMH in the entire region (Reich et al. 2011, p. 523).

1. The typical Levallois Mousterian assemblages from Lower Sindh, mainly those from Ongar (Biagi 2008a; Biagi and Starnini 2014a; Blinkhorn et al. 2015), do not find any close parallel with the Middle Palaeolithic

chipped stone industries from other regions of the Indian Subcontinent that have been often attributed to the Nevasian (Boriskovskiy 1971, Figs. 40–43). In contrast they can be compared with other assemblages from Iran, in the west, and Central Asia, in the north, where they are thought to have been produced by *H. neanderthalensis*. East of the Indus, flake assemblages, sometimes with a low Levallois-like component, characterize the Middle Palaeolithic (Pant and Jayaswal 2013). As reported above the Middle Palaeolithic industries from the Rohri Hills and the Thar Desert greatly differ from those from Ongar, and Karachi province, in the southwest.

2. Many flint workshops of the Rohri Hills have been attributed to the Late (Upper) Palaeolithic on the basis of distinctive techno-typological traits, and other characteristics of the chipped stone artefacts (Allchin et al., 1978, p. 280; Biagi et al. 1998–2000; Biagi and Starnini 2014a). In contrast almost nothing is known about the Middle Palaeolithic, given the absence of flint workshops attributable to this period in the Shadee Shaheed Hills (central-western terraces of the Rohri Hills), and the Rohri Hills in general. The geographic distribution of the few Acheulian, and the much more numerous Late (Upper) Palaeolithic workshops on the hills is very different. A similar, although not identical situation is known from Ongar in Lower Sindh.
3. The easternmost distribution of the Aurignacian/Baradostian complexes, although this term is currently considered quite generic and controversial (Fedele et al. 2008) covers a territory partly coincident to that of the Levallois Mousterian (Otte 2015). West and north of Sindh, they are known from Iran (Otte and Kozłowski 2007, 2009; Otte et al. 2012; Ghasidian et al. 2017) and Central Asia (Otte and Derevianko 2001; Otte 2004; Otte and Kozłowski 2011, Fig. 8; Kolobova and Krivoshepa 2014). At present they have never been reported from the Indian

Subcontinent, where the beginning of the Late (Upper) Palaeolithic is perhaps represented by blade assemblages with curved, backed points (Murty 1969, 1970, 1979, 2003; Paddaya 1970; Sharma 1982). These latter assemblages are known from central and south-eastern India as well as Sindh. As far as we know their distribution does not overpass the course of the Hab River that marks the boundary between Sindh and Balochistan, in the west. Also in the case of the Late (Upper) Palaeolithic of the Indian Subcontinent many questions are still unsolved: (1) where did the above assemblages originate from? and from what tradition? When and where did they start to make their appearance? (2) what are their chronological and cultural relationships with the very rich Late (Upper) Palaeolithic workshops of the Rohri Hills from which retouched tools are almost absent? and with the industries characterized by geometric “microliths” in south-central India (Clarkson et al. 2009)?

4. The scarcity of Middle and Late Pleistocene human remains in India makes the general picture even more difficult to interpret (Costa 2013; Rightmire 2015). Therefore, it seems reasonable to suggest that also in the Indian Subcontinent “*without actual, direct fossil association, it is impossible to assign a human type as the maker of most Middle Palaeolithic industries in Eastern Europe and Central Asia*” (Marks and Monigal 2004, p. 78).
5. The Middle and Late (Upper) Palaeolithic chronological sequence of the entire Indian Subcontinent is still too badly known, and supported by few radiometric dates (Chakrabarti 1999, p. 74; Clarkson et al. 2009; see also Singhvi et al. 2010; Mishra et al. 2013). This is one of the main reasons why at present it is difficult not only to frame the Ongar and other Levallois Mousterian assemblages of Lower Sindh into the general picture of the Middle Palaeolithic of the Indian Subcontinent, but also to follow the sequence of the different cultural events that took place during the Late Pleistocene in most of the study areas. This observation can be extended also to the Late (Upper) Palaeolithic sites of the study region.

To sum up, regarding the Middle Palaeolithic, Sindh falls into the complex and fragmentary picture described above of which little is known, and even less is understood (Marks 2012). In contrast with Lower Sindh, from which typical Levallois Mousterian assemblages are known, the chipped stone industries from the Indian Thar Desert, and the Rohri Hills sites, would point to a different origin and development of the Indian Middle Palaeolithic.

The problem of the Late (Upper) Palaeolithic is even more complex, also because of the absence of sites of this period all along the coast of Makran and Las Bela (Balochistan), the suggested dispersal route followed by

AMH to spread into the Indian Subcontinent (Blinkhorn and Petraglia 2014, p. 73). At present the south-westernmost sites of this period have been recovered from Mendiari, along the eastern terraces of the lower Hab River course, some 15 kms from the present seashore.

The chronology of the Late (Upper) Palaeolithic sites of Lower Sindh can be tentatively proposed only on the basis of the typological characteristics of the chipped stone tools that are represented by different types of (sometimes thick) curved backed points, obtained from bladelet blanks with direct or bipolar abrupt retouch. These industries are known from a few, although different, distant regions of the Indian Subcontinent (Mishra 2013, Fig. 4.1). They have nothing in common with the so-called Aurignacian/Baradostian complexes whose distribution covers wide territories located in the west and north of the study region. Furthermore they look absolutely different from those of the manufacturing workshops of both the Rohri Hills and Ongar, from which retouched tools are almost absent.

Acknowledgements The surveys at Ongar and Jhimpir were carried out in collaboration with the Institute of Sindhology, Sindh University (Jamshoro, PK) between 2005 and 2011. One of the authors (PB) is very grateful to the former Vice-chancellor, Mr. Mazharul Haq Siddiqui, and the former Institute’s Director, Mr. Shoukat Shoro for all their help before and during his permanence at Sindh University Campus. Many thanks are due to Mir Atta Mohammad Talpur, Mir Farooq Ahmed Talpur, Mir Ghulam Rasool Talpur and Mir Abdul Rehman Talpur, who took part in the Ongar and Daphro surveys, for all their help and assistance. Thanks are due also to Professors A.R. Khan, B. Talat and S. Akhtar of the Department of Geography, Karachi University, who allowed the author to study the collections from Ongar, the Mulri Hills, and other Karachi basin sites stored in the Museum of Prehistory and Palaeogeography of the same University, to Dr. M. Spataro (British Museum, London, UK), who helped analyse the collections from the above Museum, Dr. C. Franco (Ca’ Foscari University, Venice, I), who took part in the 2008 fieldwork season at Ongar and Daphro, Dr. R. Nisbet (Ca’ Foscari University, Venice, I) for his assistance during the 2009–2011 surveys at Jhimpir and Ranikot. Furthermore the authors are very grateful to all the members of the Joint Rohri Hills Project who took part in the surveys and excavations carried out on the Shadee Shaheed terraces.

The researches were carried out thanks to the financial support of the Italian Ministry of Foreign Affairs (MAE) (Rome, I), Prehistoric Society (London, UK), National Geographic Society (Washington, USA), Ca’ Foscari University Archaeology Funds (Venice, I), Ligabue Foundation (Venice, I), and the CeVeSCO (Ca’ Foscari University, Venice, I).

References

- Abramova ZA (1984) The early Palaeolithic of the Asian part of the USSR. In: Boriskovskiy PI (ed) Archaeology of the USSR. The Palaeolithic of the USSR. Academy of Sciences of the USSR, Moscow, pp 135–160. (in Russian)
- Ahmad KS (1951) Climatic regions of West Pakistan. Geogr Rev 4(1):1–35

- Allchin B (1973) Blade and burin industries of West Pakistan and Western India. In: Hammond N (ed) *South Asian archaeology*. Duckworth, London, pp 39–50
- Allchin B (1976) Palaeolithic sites in the plains of Sind and their geographical implications. *Geogr J* 142(3):471–489
- Allchin B (1979) Stone blade industries of early settlements in Sind as indicators of geographical and socio-economic change. In: Taddei M (ed) *South Asian Archaeology 1977*, Seminario di Studi Asiatici, series minor 6. Istituto Universitario Orientale, Naples, pp 173–212
- Allchin B, Goudie A, Hedge K (1978) The prehistory and palaeogeography of the great Indian Desert. Academic, London/New York/San Francisco
- Athreya S (2007) Was *Homo heidelbergensis* in South Asia? A test using the Narmada fossil from central India. In: Petraglia MD, Allchin B (eds) *The evolution and history of human populations in South Asia*. Springer, Berlin/Heidelberg/New York, pp 137–170
- Athreya S (2010) South Asia as a geographic crossroad: patterns and predictions of hominin morphology in Pleistocene India. In: Norton CJ, Braun DR (eds) *Asian paleoanthropology: from Africa to China and beyond*. Springer Science+Business Media B.V, Dordrecht, pp 129–140. https://doi.org/10.1007/978-90-481-9094-2_10
- Bakliwal PC, Wadhawan SK (2003) Geological evolution of Thar Desert in India – issues and prospects. *Proc Indian Natl Sci Acad* 69A(2):151–165
- Baloch NA (2002) *Sindh: studies historical*. Pakistan Study Centre. University of Sindh, Jamshoro
- Bar-Yosef O (2000) The Middle and Early Upper Palaeolithic in Southwest Asia and neighboring regions. In: Bar-Yosef O, Pilbeam D (eds) *The geography of Neanderthals and modern humans in Europe and the greater Mediterranean*, Peabody museum bulletin 8. Peabody Museum of Archaeology and Ethnology, Harvard University, Cambridge, MA, pp 107–156
- Bar-Yosef O (2011) A geographic overview of Neanderthal-modern human encounters. In: Sept J, Pilbeam D (eds) *Casting the net wide*. Papers in honor of Glynn Isaac and his approach to human origins research, American School of Prehistoric Research Monograph Series. American School of Prehistoric Research, Peabody Museum, Harvard University/Oxbow Books, Oxford, pp 193–212
- Bar-Yosef O, Belfer-Cohen A (2013) Following Pleistocene road signs of human dispersals across Eurasia. *Quat Int* 285:30–43
- Bar-Yosef O, Wang Y (2012) Palaeolithic archaeology in China. *Annu Rev Anthropol* 41:319–335
- Baumler MF (1995) Principles and properties of lithic core reduction: implications for Levallois technology. In: Dibble H-L, Bar-Yosef O (eds) *The definition and interpretation of Levallois technology*, Monographs in world archaeology, vol 23. Prehistory Press, Madison, pp 11–23
- Bazgir B, Otte M, Tumung L, Ollé A, Deod SG, Joglekard P, López-García JM, Picina A, Davoudif D, van der Made J (2014) Test excavations and initial results at the Middle and Upper Paleolithic sites of Gilvaran, Kaldar, Ghamari caves and Gar Arjene Rockshelter, Khorramabad Valley, western Iran. *Comptes Rendus Palevol* 13(6):511–525. <https://doi.org/10.1016/j.crpv.2014.01.005>
- Bender FK, Raza HA (eds) (1995) *Geology of Pakistan*, Beitrage zur Regionalen Geologie der Erde 25. Gebruder Borntrager, Berlin-Stuttgart
- Beyin A (2006) The Bab al Mandab vs the Nile-Levant: an appraisal of the two dispersal routes for early modern humans out of Africa. *African Archaeol Rev* 26:5–30
- Beyin A (2011) Upper Pleistocene human dispersals out of Africa: a review of the current state of the debate. *Int J Evol Biol* 2011:1–17. <https://doi.org/10.4061/2011/615094>
- Biagi P (2003–2004) The Mesolithic settlement of Sindh: a preliminary assessment. *Praehistoria* 4–5:195–220
- Biagi P (2005) Ongar revisited. *Sindholog Stu* 21(1–2):1–21
- Biagi P (2006) The Levalloisian assemblages of Sindh (Pakistan) and their importance in the Middle Palaeolithic of the Indian subcontinent. In: Kroeper K, Chłodnicki M, Kobusiewicz M (eds) *Archaeology of early Northeastern Africa*. In memory of Lech Krzyżaniak, Studies in African Archaeology 9. Poznań Archaeological Museum, Poznań, pp 1005–1017
- Biagi P (2008a) The Palaeolithic settlement of Sindh: a review. *Archäologische Mitteilungen aus Iran und Turan* 40:1–26
- Biagi P (2008b) New discoveries of Mesolithic sites in the Thar Desert (Upper Sindh, Pakistan). In: Olijdam E, Spoor RH (eds) *Intercultural relations between South and Southwest Asia*. Studies in commemoration of E.C.L. During Caspers (1934–1996), BAR international series, 1826. Archaeopress, Oxford, pp 78–85
- Biagi P (2010) Archaeological surveys in Lower Sindh: preliminary results of the 2009 season. *J Asian Civiliz* 33(1):1–42
- Biagi P (2011) Changing the prehistory of Sindh and Las Bela coast: twenty-five years of Italian contribution. *World Archaeol* 43(4):523–537. <https://doi.org/10.1080/00438243.2011.624695>
- Biagi P (2017a) Uneasy riders: with Alexander and Nearchus from Pattala to Rhambakia. In: Antonetti C, Biagi P (eds) *With Alexander in India and Central Asia. Moving East and Back to West*. Oxbow Books, Oxford/Philadelphia, pp 255–278
- Biagi P (2017b) Why so many different stones? The Late (Upper) Palaeolithic of Sindh reconsidered. *J Asian Civiliz* 40(1): in press
- Biagi P, Cremaschi M (1988) The early Palaeolithic sites of the Rohri Hills (Sindh, Pakistan) and their environmental significance. *World Archaeol* 19(3):421–433. <https://doi.org/10.1080/00438243.1988.9980049>
- Biagi P, Cremaschi M (1991) The Harappan flint quarries of the Rohri Hills (Sindh, Pakistan). *Antiquity* 65(246):97–102. <https://doi.org/10.1017/S0003598X00079321>
- Biagi P, Franco C (2008) Ricerche archeologiche in Balochistan e nel Sindh Meridionale (Pakistan). In: Gelichi S (ed) *Missioni archeologiche e progetti di ricerca e scavo dell'Università Ca' Foscari – Venezia*. Bretschneider, Roma, pp 9–18
- Biagi P, Nisbet R (2010) The prehistoric flint mines at Jhimpir in Lower Sindh (Pakistan). *Antiquity* 84(325): project gallery. <http://antiquity.ac.uk/projgall/nisbet325/>
- Biagi P, Nisbet R (2011) The Palaeolithic sites at Ongar in Sindh, Pakistan: a precious archaeological resource in danger. *Antiquity* 85(329): project gallery. <http://antiquity.ac.uk/projgall/biagi329/>
- Biagi P, Starnini E (2008) The Bronze Age Indus quarries of the Rohri Hills and Ongar in Sindh (Pakistan). In: Kostov RI, Gaydarska B, Gurova M (eds) *Geoarchaeology and archaeomineralogy*. St. Ivan Rilski, Sofia, pp 77–82
- Biagi P, Starnini E (2014a) The Levallois Mousterian assemblages of Sindh (Pakistan) and their relations with the Middle Palaeolithic of the Indian Subcontinent. *Archaeol Ethnol Anthropol Eurasia* 42(1):18–32. <https://doi.org/10.1016/j.aeae.2014.10.002>
- Biagi P, Starnini E (2014b) Neanderthals at the south-easternmost edge: the spread of Levalloisian Mousterian in the Indian Subcontinent. In: Biro K, András M, Bajonok KP (eds) *Aeolian scripts new ideas on the lithic world studies in honour of Viola T. Dobosi*, *Inventaria Praehistorica Hungariae* 13. Hungarian National Museum, Budapest, pp 11–22
- Biagi P, Kazi MM, Pessina A (1994) New discoveries of Late Palaeolithic sites on the Rohri Hills (Sindh – Pakistan). *Rivista di Archeologia* 18:5–13
- Biagi P, Ottomano C, Pessina A, Shaikh N (1995) The 1994 campaign on the Rohri Hills (Sindh – Pakistan): a preliminary report. *Anc Sindh* 2:13–40
- Biagi P, Kazi MM, Negrino F (1996) An Acheulian workshop at Ziarat Pir Shaban on the Rohri Hills, Sindh, Pakistan. *South Asian Stud* 12:49–62. <https://doi.org/10.1080/02666030.1996.9628509>

- Biagi P, Kazi MM, Madella M, Ottomano C (1998–2000) Excavations at the Late (Upper) Palaeolithic site of Ziarat Pir Shaban 2 (ZPS2) in the Rohri Hills, Sindh, Pakistan. *Origini* 22:111–132
- Blanford WT (1867) Note on the geology of the neighbourhood of Lynyan and Runeekot, north-west of Kotree in Sind – India. *Mem Geol Survey India* 6:1–15
- Blanford WT (1877) Geological notes on the great Indian Desert between Sind and Rajputana. *Rec Geol Survey India* 10(1):10–21
- Blanford WT (1880) The geology of western Sind. *Mem Geol Survey India* 17(1):1–210
- Blinkhorn J (2014) Late Middle Palaeolithic surface sites occurring on dated sediment formations in the Thar Desert. *Quat Int* 350:94–104. <https://doi.org/10.1016/j.quaint.2014.01.027>
- Blinkhorn J, Petraglia MD (2014) Assessing models for the dispersal of modern humans in South Asia. In: Dennell R, Porr M (eds) *Southern Asia, Australia and the search for human origins*. Cambridge University Press, New York, pp 64–75
- Blinkhorn J, Achyuthan H, Ajithprasad P (2015) Middle Palaeolithic point technologies in the Thar Desert, India. *Quat Int* 382:237–249. <https://doi.org/10.1016/j.quaint.2015.02.027>
- Boëda E (1994) Le concept Levallois: variabilité des méthodes. *Monographie du CRA* 9. CNRS éditions, Paris
- Boëda E (1995) Levallois: a volumetric construction, methods, technique. In: Dibble H-L, Bar-Yosef O (eds) *The definition and interpretation of Levallois technology*, *Monographs in world archaeology* 23. Prehistory Press, Madison, pp 41–68
- Boivin M (ed) (2008) *Sindh through history and representations*. French contributions to Sindhi studies. Oxford University Press, Karachi
- Bolus M (2015) Dispersals of early humans: traces, frontiers, and new territories. In: Henke W, Tattersal I (eds) *Handbook of paleoanthropology*, vol 3. Springer, Berlin/Heidelberg, pp 2371–2400. https://doi.org/10.1007/978-3-642-27800-6_83-1
- Boriskovskiy PI (1971) The old stone age of south and south-east Asia. Nauka, Leningrad. (in Russian)
- Brantingham PJ, Kuhn SL, Kerry KW (2004) On the difficulty of the Middle-Upper Paleolithic transitions. In: Brantingham PJ, Kuhn SL, Kerry KW (eds) *The Early Upper Paleolithic beyond Western Europe*. University of California Press, Berkeley, pp 1–13
- Bulbeck D (2007) A parsimonious model for *Homo sapiens* colonization of the Indian Ocean Rim and Sahul. *Curr Anthropol* 48(2):315–321
- Chakrabarti DL (1999) *India an archaeological history Palaeolithic beginnings to Early Historic foundations*. Oxford University Press, New Delhi
- Chauhan P, Patnaik R (2012) Inter-disciplinary perspectives on Indian paleoanthropology and prehistory. *Quat Int* 269:1–8. <https://doi.org/10.1016/j.quaint.2012.03.028>
- Clark GA, Riel-Salvatore J (2006) Observations on systematics in Paleolithic archaeology. In: Hovers E, Kuhn SL (eds) *Transitions before the transition. Evolution and stability in the Middle Paleolithic and Middle Stone Age*. Interdisciplinary contributions to archaeology. Springer, New York, pp 29–56
- Clarkson C, Petraglia M, Korisettar R, Haslam M, Boivin N, Crowther A, Ditchfield P, Fuller D, Harris C, Connell K, James H, Koshy J (2009) The oldest and longest enduring microlithic sequence in India: 35000 years of modern human occupation and change at the Jwalapuram Locality 9 rock shelter. *Antiquity* 83:326–348
- Coles JM, Higgs ES (1975) *The archaeology of early man*, 2nd edn. Penguin Books, Harmondsworth
- Coon CS (1951) *Cave explorations in Iran 1949*. The University Museum, University of Pennsylvania, Philadelphia
- Costa A (2013) Were there Indian Neanderthals? On the problem of affinities of the South Asian Middle to Late Pleistocene paleodeme. *Indian J Phys Anthropol Hum Genet* 32(1):13–38
- Dani AH (1964) Sanghao cave excavations. *Anc Pakistan* 1:1–50
- Dashtizadeh A (2010) Preliminary report on the discovery of a Late Lower Palaeolithic and Middle Palaeolithic site on the Island of Qeshm, Persian gulf. *Iran Archaeol* 1(1):15–20
- Davis RS (1978) The Palaeolithic. In: Allchin FR, Hammond N (eds) *The archaeology of Afghanistan from earliest times to the Timurid period*. Academic, London, pp 37–70
- De Terra H, Paterson TT (1939) *The Ice Age in the Indian Subcontinent and associated human cultures with special reference to Jammu, Ladakh, Sind, Liddar and Central & Peninsular India*. Carnegie Institute, Washington, DC
- Demidenko YE, Usik VI (1993) The problem of changes in Levallois technique during the technological transition from the Middle to Upper Palaeolithic. *Paléorient* 19(2):5–15
- Dennell R, Petraglia M (2012) The dispersal of *Homo sapiens* across southern Asia: how early, how often, how complex? *Quat Sci Rev* 47:15–22. <https://doi.org/10.1016/j.quascirev.2012.05.002>
- Derevianko AP (2004) Obi-Rakhmat Grotto. Russian Academy of Sciences, Siberian Branch. Institute of Archaeology and Ethnography, Novosibirsk. (in Russian)
- Derevianko AP (2010) Three scenarios of the Middle to Upper Paleolithic transition. Scenario 1: the Middle to Upper Paleolithic transition in Central Asia and the near East. *Archaeol Ethnol Anthropol Eurasia* 38(4):2–38. <https://doi.org/10.1016/j.aeae.2010.10.002>
- Derevianko AP (2011a) Three scenarios of the Middle to Upper Paleolithic transition. Scenario 2: the Middle to Upper Paleolithic transition in continental East Asia. *Archaeol Ethnol Anthropol Eurasia* 39(1):2–27. <https://doi.org/10.1016/j.aeae.2011.06.002>
- Derevianko AP (2011b) The origin of anatomically modern humans and their behavior in Africa and Eurasia. *Archaeol Ethnol Anthropol Eurasia* 39(3):2–31. <https://doi.org/10.1016/j.aeae.2011.09.001>
- Derevianko AP, Markin SV (1999) The Middle and Upper Palaeolithic of the Altai. *Anthropozoikum* 23:157–166
- Derevianko AP, Pétrine VT (1995) The Levallois of Mongolia. In: Dibble H-L, Bar-Yosef O (eds) *The definition and interpretation of Levallois technology*. *Monographs in world archaeology*, vol 23. Prehistory Press, Madison, pp 455–472
- Derevianko AP, Pétrine VT, Otte M (1998) Variante de la transition du Moustérien au Paléolithique tardif à l'Altai. In: Otte M (ed) *Préhistoire d'Anatolie Genèse de deux mondes II*, ERAUL 85. Université de Liège, Liège, pp 815–843
- Derevianko AP, Brantingham PJ, Olsen JW, Tseveendorj D (2004) Initial Upper Paleolithic blade industries from the north-central Gobi Desert, Mongolia. In: Brantingham PJ, Kuhn SL, Kerry KW (eds) *The Early Upper Paleolithic beyond Western Europe*. University of California Press, Berkeley, pp 207–222
- Derevianko AP, Shunkov MV, Markin SV (2014) Paleolithic industries in Africa and Eurasia and the issues on the origin of *Homo Sapiens*. In: Derevianko AP, Shunkov MV (eds) *Cultural developments in the Eurasian Paleolithic and the origin of anatomically modern humans*. Institute of Archaeology and Ethnography SB RAS, Novosibirsk, pp 60–77
- Dibble HL, Bar-Yosef O (eds) (1995) *The definition and interpretation of Levallois technology*. *Monographs in world archaeology*, vol 23. Prehistory Press, Philadelphia
- Dobrovolskaya MV (2014) The Neanderthals of Altai: new data from isotopic analysis. In: Derevianko AP, Shunkov MV (eds) *Cultural developments in the Eurasian Paleolithic and the origin of anatomically modern humans*. Institute of Archaeology and Ethnography SB RAS, Novosibirsk, pp 111–120
- Dupree L (1972) Prehistoric research in Afghanistan (1959–1966). *Trans Am Philos Soc* 62(4):5–84
- Dupree L, Lattman L, Davis R (1970) Ghar-I-Mordeh Gusfand (“Cave of the Dead Sheep”). A new Mousterian locality in north Afghanistan. *Science* 167:1610–1612

- Eggermont PHL (1975) Alexander's campaigns in Sind and Balochistan and the siege of the Brahmin town of Harmatelia, *Orientalia Lovaniensa Analecta* 3. Leuven University Press, Leuven
- Fairservis WA Jr (1975) The roots of ancient India. The archaeology of Early Indian civilization, 2nd edn. The University of Chicago Press, Chicago/London
- Fedele FGF, Giaccio B, Hajdas I (2008) Timescales and cultural process at 40,000 BP in the light of the Campanian ignimbrite eruption, Western Eurasia. *J Hum Evol* 55:834–857
- Field JS, Petraglia MD, Mirazón Lahr M (2007) The southern dispersal hypothesis and the South Asian archaeological record: examination of dispersal routes through GIS analysis. *J Anthropol Archaeol* 26:88–108
- Finlayson C (2004) Neanderthals and modern humans an ecological and evolutionary perspective. Cambridge University Press, Cambridge
- Finlayson C, Carrión JS (2007) Rapid ecological turnover and its impact on Neanderthal and other human populations. *TRENDS Ecol Evol* 22(4):213–222
- Flam L (1984) The Palaeogeography and prehistoric settlement patterns of the Lower Indus Valley, Sind, Pakistan. In: Kennedy KAR, Possehl GL (eds) Studies in the archaeology and palaeoanthropology of south Asia. Oxford University Press and IBH Publishing, New Delhi, pp 77–82
- Flam L (1999) The Prehistoric Indus River system and the Indus Civilization in Sind. *Man Environ* 24(2):35–69
- Flam L (2006) Archaeological research in western Sindh: the Kirthar Mountains, Sindh Kohistan, and excavations at Ghazi Shah. In: Hussain F (ed) Sindh past, present & future. B.C.C.T. & Press, Karachi, pp 152–184
- Flas D, Kolobova K, Pavlenok K, Vandenberghe DAG, De Dapper M, Leschinsky S, Viola B, Islamov U, Derevianko AP, Cauwe N (2010) Preliminary results of new excavations at the Palaeolithic site of Kulbulak (Uzbekistan). *Antiquity* 84(325):project gallery. <http://www.antiquity.ac.uk/projgall/flas325/>
- Forster P (2004) Ice Ages and the mitochondrial DNA chronology of human dispersals: a review. *Philos Trans R Soc Lond B* 359:255–264
- Ghasidian E, Bretzke K, Conard J (2017) Excavations at Ghār-e Boof in the Fars Province of Iran and its bearing on models for the evolution of the Upper Palaeolithic in the Zagros Mountains. *J Anthropol Archaeol* 47:33–49. <https://doi.org/10.1016/j.jaa.2017.03.001>
- Giles Pacheco F, Santiago Perez A, Gutierrez Lopez JM, Mata Almonte E, Aguilera Rodriguez L (2000) The transition from the final Acheulian to the Middle Palaeolithic in the South of the Iberian Peninsula. In: Stringer CB, Barton RNE, Finlayson C (eds) Neanderthals on the edge. Oxbow Books, Oxford, pp 41–48
- Giosan L, Constantinescu S, Clift PD, Tabrez AR, Danish M, Inam A (2006) Recent morphodynamics of the Indus delta shore and shelf. *Cont Shelf Res* 26:1668–1684
- Glantz MM (2010) The history of hominin occupation of central Asia in review. In: Norton CJ, Braun DR (eds) Asian paleo-anthropology: from Africa to China and beyond. Springer Science+Business Media B.V, Dordrecht, pp 101–112. https://doi.org/10.1007/978-90-481-9094-2_8
- Gordon DH (1958) The pre-historic background of the Indian culture. Tripathi Ltd., Bombay
- Goudie AS, Allchin B, Hedge KTM (1973) The former extensions of the Great Indian Sand Desert. *Geogr J* 139(2):243–257
- Haigh MR (1894) The Indus Delta Country. A memoir chiefly on its ancient geography and history. Kegan Paul, Trench, Trübner & Co, London
- Henke W (2006) Ursprung und Verbreitung des Genus Homo- paläobiologische Anmerkungen zum evolutiven Erfolg unserer Gattung. In: Uelsberg G (ed) Roots. Wurzeln der Menschheit. Rheinisches LandesMuseum Bonn, Katalog zur Ausstellung. Philipp Von Zabern, Mainz, pp 33–52
- Henke W, Hardt T (2011) The genus homo: origin, speciation and dispersal. In: Condemi S, Weniger G-C (eds) Continuity and discontinuity in the peopling of Europe: one hundred fifty years of Neanderthal study. Springer, Berlin/Heidelberg/New York, pp 17–45
- Holdich T (1910) The gates of India being an historical narrative. MacMillan and co, London
- Hole F, Flannery KV (1968) The prehistory of southwestern Iran: a preliminary report. *Proc Prehist Soc* 33:147–206
- Hublin J-J (2000) Modern-nonmodern hominid interactions: a mediterranean perspective. In: Bar-Yosef O, Pilbeam D (eds) The geography of Neandertals and modern humans in Europe and the greater Mediterranean. Peabody Museum Bulletin 8. Peabody Museum of Archaeology and Ethnology, Harvard University, Cambridge, MA, pp 157–182
- Inam A, Clift PD, Giosan L, Tabrez AR, Tahir M, Rabbani MM, Danish M (2007) The geographic, geological and oceanographic setting of the Indus River. In: Gupta A (ed) Large rivers: geomorphology and management. Wiley, London, pp 333–346
- Jaubert J, Biglari F, Mourre V, Bruxelles L, Bordes J-G, Shidrang S, Naderi R, Mashkour M, Maureille B, Mallye J-B, Quinif Y, Rendu W, Laroulandie V (2009) The Middle Palaeolithic occupation of Mar-Tarik, a new Zagros Mousterian site in Bisotun Massif (Kermanshah, Iran). In: Otte M, Biglari F, Jaubert J (eds) Iran Palaeolithic/Le Paléolithique d'Iran, BAR international series 1968. Archaeopress, Oxford, pp 7–27
- Kadowaki S (2013) Issues of chronological and geographical distributions of Middle and Upper Palaeolithic cultural variability in the Levant and implications for the learning behavior of Neanderthals and Homo sapiens. In: Akazawa T, Nishiaki Y, Aoki K (eds) Dynamics of learning in Neanderthals and modern humans volume 1: cultural perspectives. Springer, Tokyo, pp 59–91. https://doi.org/10.1007/978-4-431-54511-8_4
- Khan AR (1979a) Ancient settlements in Karachi Region. In: Khan AR (ed) Studies in the geomorphology and prehistory of Sind. Grassroots 3(2):1–24
- Khan AR (1979b) Palaeolithic sites discovered in the Lower Sindh and their significance in the prehistory of the country. In: Khan AR (ed) Studies in the geomorphology and prehistory of Sind. Grassroots 3(2):80–82
- Khan AR (1979c) Geological conditions at the proposed Malir dam site. In: Khan AR (ed) Studies in the geomorphology and prehistory of Sind. Grassroots 3(2):25–34
- Khatri AP (1962) A century of prehistoric research in India. *Asian Perspect* 6:169–185
- Kolobova KA, Krivoshapkin AI (2014) The Kulbulakian culture in the context of Aurignacian in Asia. In: Derevianko AP, Shunkov MV (eds) Cultural developments in the Eurasian Paleolithic and the origin of anatomically modern humans. Institute of Archaeology and Ethnography SB RAS, Novosibirsk, pp 139–147
- Kolobova KA, Krivoshapkin AI, Pavlenok KK, Flas D, Derevianko AP, Ui I (2012) The denticulate Mousterian as a supposedly distinct facies in Western Central Asia. *Archaeol Ethnol Anthropol Eurasia* 40(1):11–23
- Krakhmal K (2005) On studying the historical and cultural processes of the Palaeolithic epoch in Central Asia. *Int J Central Asian Stud* 10:119–129
- Krause J, Orlando L, Serre D, Viola B, Prüfer K, Richards MP, Hublin J-J, Hänni C, Derevianko AP, Pääbo S (2007) Neanderthals in central Asia and Siberia. *Nature* 449:902–904. <https://doi.org/10.1038/nature06193>
- Krishnaswamy VD (1947) Stone Age India. *Anc India* 3:11–57
- Kuhn SL, Branthingam PJ, Kerry SL (2004) The Early Upper Palaeolithic and the origins of modern human behavior. In: Branthingam PJ, Kuhn SL, Kerry KW (eds) The Early Upper Paleolithic beyond Western Europe. University of California Press, Berkeley, pp 242–248

- Kuhn SL, Stiner MC, Güleç E, Özer I, Yılmaz H, Baykara I, Açıkkol A, Goldberg P, Martínez Molina K, Ünay E, Suata-Alpaslan F (2009) The Early Upper Palaeolithic occupations at Üçağızlı cave (Hatay, Turkey). *J Hum Evol* 56:87–113
- Lambrick HT (1986) *Sindh. A general introduction*. Sindh Adabi Board, Hyderabad/Jamshoro
- López S, van Dorp L, Hellenthal G (2015) Human dispersal out of Africa: a lasting debate. *Evol Bioinforma* 11(s2):57–68. <https://doi.org/10.4137/EB0.s33489>
- Majumdar NC, Sharma RN (1964) A new approach towards classification of climates. *Def Sci J* 14:161–179
- Marks J (2012) My ancestors, myself. *Aeon* 12 November 2012:1–7
- Marks AE, Monigal K (2004) Origin of the European Upper Paleolithic, seen from Crimea: simple myth or complex reality? In: Brantingham PJ, Kuhn SL, Kerry KW (eds) *The Early Upper Paleolithic beyond Western Europe*. University of California Press, Berkeley, pp 64–79
- Mednikova MB (2014) Neanderthal presence in southern Siberia on data of postcranial morphology. In: Derevianko AP, Shunkov MV (eds) *Cultural developments in the Eurasian Paleolithic and the origin of anatomically modern humans*. Institute of Archaeology and Ethnography SB RAS, Novosibirsk, pp 158–164
- Meignen L (1998) Le Paléolithique Moyen au Levant Sud et Central: que nous apprennent les données récentes ? In: Otte M (ed) *Préhistoire d'Anatolie. Genèse des deux mondes*, ERAUL 85(II). Université de Liège, Liège, pp 685–708
- Mellars P (2006) Going East: new genetic and archaeological perspectives on the modern human colonization of Eurasia. *Science* 313:796–800
- Mellars P, Gori KC, Carr M, Soares PA, Richards MB (2013) Genetic and archaeological perspectives on the initial modern human colonization of southern Asia. *Proc Nat Acad Sci USA* 110(26):10699–10709. www.pnas.org/cgi/doi/10.1073/pnas.1306043110
- Mishra S (2013) Early hunter-gatherers: the Upper Palaeolithic. In: Dhavalikar MK (ed) *A comprehensive history of India vol. I, part 1 prehistory of India*. Manohar, New Delhi, pp 90–105
- Mishra S, Chauhan N, Singhvi AK (2013) Continuity of microblade technology in the Indian subcontinent since 45 ka: implications for the dispersal of modern humans. *PLOS One* 8(7):1–14. <https://doi.org/10.1371/journal.pone.0069280>
- Movius HL (1944) Early man and Pleistocene stratigraphy in Southern and Eastern Asia, *Papers of the Peabody Museum of American Archaeology and Ethnology, Harvard University, Vol. XIX(2)*. Kraus Reprint Corp, Cambridge, MA
- Movius HL (1948) The lower Palaeolithic cultures of Southern and Eastern Asia. *Trans Am Phil Soc* 38(4):329–420
- Movius HL (1953a) Palaeolithic and Mesolithic sites in Soviet Central Asia. *Proc Am Phil Soc* 97(4):383–421
- Movius HL (1953b) The Mousterian cave of Teshik-Tash, Southeastern Uzbekistan, Central Asia. *Bull Am Sch Prehist Res* 17:11–71
- Munsell Soil Color Charts (1992) Revised edition. Macbeth, New York
- Murty MLK (1969) Blade-and-burin industries near Renigunta in the South-East Coast of India. *Proc Prehist Soc* 34:83–101
- Murty MLK (1970) Blade-and-Burin and Late Stone Age industries around Renigunta, Chittoor District. In: Deo SB, Dhavalikar MK (eds) *Studies in Indian Archaeology. Professor H.D. Sankalia felicitation volume, Indian antiquary third series IV(1-4)*. Popular Prakashan, Bombay, pp 106–128
- Murty MLK (1979) Recent research on the Upper Palaeolithic phase in India. *J Field Archaeol* 6:301–320
- Murty MLK (2003) Upper Palaeolithic cultures. In: MLK M (ed) *Pre- and protohistoric Andhra Pradesh up to 500 BC. Comprehensive history and culture of Andhra Pradesh, vol 1*. Orient Longman, Hyderabad, pp 50–63
- Naseem S, Sheikh SA, Qadeeruddin M (1996) Geochemistry and sedimentology of Jhill Limestones of Gaj formation in Cape Monze and adjacent areas, Karachi. *Chin J Geochem* 15(3):213–227
- Negrino F, Kazi MM (1996) The Palaeolithic industries of the Rohri Hills (Sindh, Pakistan). *Anc Sindh* 3:3–78
- Okladnikov AP (1949) The study of the Mousterian site and Neanderthal burial in Teshik-Tash shelter South Uzbekistan, Central Asia. In: Gremyatsky MA (ed) *Teshik-Tash, Palaeolithic Man*. Izdatelstvo Moskovskogo Universiteta, Moscow, pp 7–85. (in Russian)
- Otte M (2004) The Aurignacian in Asia. In: Brantingham PJ, Kuhn SL, Kerry KW (eds) *The Early Upper Paleolithic beyond Western Europe*. University of California Press, Berkeley, pp 144–150
- Otte M (2015) Central Asia as a Core area: Iran as an origin for the European Aurignacian. *Int J Soc Iranian Archaeol* 1(1):19–23
- Otte M, Derevianko A (2001) The Aurignacian in Altai. *Antiquity* 75(287):44–48
- Otte M, Kozłowski JK (2007) *L'Aurignacien du Zagros*. Université de Liège, Liège
- Otte M, Kozłowski JK (2009) Origines du Paléolithique Supérieur en Asie Occidentale. In: Otte M, Biglari F, Jaubert J (eds) *Iran Palaeolithic le Paléolithique d'Iran, BAR international series 1968*. Archaeopress, Oxford, pp 57–72
- Otte M, Kozłowski JK (2011) La Transition du Moustérien à l'Aurignacien au Zagros. In: Le Tensorer J-M, Jagher R, Otte M (eds) *The Lower and Middle Palaeolithic in the Middle East and neighbouring regions, ERAUL 126*. Université de Liège, Liège, pp 183–195
- Otte M, Shidrang S, Flas D (2012) The Aurignacian of Yafteh cave (2005–08) excavations in its context. *ERAUL, Liège* 132:127–132
- Paddaya K (1970) The blade-tool industry of Shorapur Doab, Peninsular India. In: Deo SB, Dhavalikar MK (eds) *Studies in Indian Archaeology. Professor H.D. Sankalia Felicitation volume, Indian antiquary third series IV(1-4)*. Popular Prakashan, Bombay, pp 165–190
- Panhwar MH (1983) *Chronological dictionary of Sindh (from geological times to 1539 A.D.)*. Institute of Sindhology, University of Sindh, Jamshoro
- Pant PC, Jayaswal V (2013) Early hunter-gatherers: the Middle Palaeolithic. In: Dhavalikar MK (ed) *A comprehensive history of India vol I, part 1: prehistory of India*. Manohar, New Delhi, pp 76–89
- Petraglia MD (2007) Mind the gap: factoring the Arabian Peninsula and the Indian subcontinent into out of Africa models. In: Mellars P, Boyle K, Bar-Yosef O, Stringer C (eds) *The human revolution revisited*. McDonald Institute Archaeological Publications, Cambridge, pp 383–394
- Prins MA, Postma G, Cleveringa J, Cramp A, Kenyon NH (2000) Controls on terrigenous sediment supply to the Arabian Sea during the Late Quaternary: the Indus fan. *Mar Geol* 169:327–349
- Ranere AJ (1982) Human occupation in northwest Pakistan during the Late Pleistocene. In: Pastner S, Flam L (eds) *Anthropology in Pakistan: recent socio-cultural and archaeological perspectives*. Indus Publications, Karachi, pp 124–143
- Ranov VA (1976) The Palaeolithic industries of Central Asia: a revision. In: Ghosh AK (ed) *Le Paléolithique Inférieur et Moyen en Inde, en Asie Centrale, en Chine et dans le Sud-Est Asiatique*. Union Internationale des Sciences Préhistoriques et Protohistoriques, IX^e Congrès, Nice, pp 91–129
- Ranov VA, Gupta SP (1979) *Archaeology of Soviet Central Asia, and the Indian borderland, vol I*. B.R. Publishing Corporation, Delhi
- Ranov VA, Khudjageldiev TD, Schafer JD (2005) Khargushon – a new area of the distribution of Mousterian industries in Tajikistan. *J Asian Civiliz* 28(1):1–28
- Reich D, Patterson N, Kircher M, Delfin F, Nandineni MR, Pugach I, Min-Shan Ko A, Ko Y-C, Jinam TA, Phipps ME, Saitou N, Wollstein A, Kayser M, Pääbo S, Mark Stoneking M (2011) Denisova admixture and the first modern human dispersals into Southeast Asia and Oceania. *Am J Hum Genet* 89:516–528. <https://doi.org/10.1016/j.ajhg.2011.09.005>

- Rendell HM, Dennell RW (1987) Thermoluminescence dating of an Upper Pleistocene site, northern Pakistan. *Geoarchaeology* 2(1):63–67
- Rendell HM, Dennell RW, Halim MA (1989) Pleistocene and Palaeolithic investigations in the Soan Valley, northern Pakistan, BAR international series 544. Archaeopress, Oxford
- Rightmire GP (2015) Later Middle Pleistocene Homo. In: Henke W, Tattersall I (eds) *Handbook of paleoanthropology*, vol 3. Springer, Berlin/Heidelberg, pp 2221–2242. https://doi.org/10.1007/978-3-642-27800-6_55-5
- Roustari K, Vahdati Nasab H, Siglari F, Heydari S, Clark GA, Lindly JM (2004) Recent Paleolithic surveys in Luristan. *Curr Anthropol* 45(5):692–707
- Rybin EP, Kolobova KA (2009) The Middle Palaeolithic of Altai: variability and evolution. *Stratum Plus* 2005–2009(1):33–78. (in Russian)
- Salim M (1986) The Middle Stone Age cultures of Northern Pakistan. Centre for the Study of Civilizations of Central Asia. Quaid-I-Azam University, Islamabad
- Scerri EML, Groucutt HS, Jennings RP, Petraglia MD (2014) Unexpected technological heterogeneity in northern Arabia indicates complex Late Pleistocene demography at the gateway to Asia. *J Hum Evol* 75:125–142
- Seth SK (1978) The desiccation of the Thar Desert and its environs during protohistorical and historical periods. In: Brice WC (ed) *The environmental history of the near and Middle East*. Academic, London, pp 279–305
- Sharma MJ (1982) *The Upper Palaeolithic culture of India*. Agam Kala Prakashan, Delhi
- Shunkov M (2005) The characteristics of the Altai (Russia) Middle Palaeolithic in regional context. *Indo-Pacific Prehistor Assoc Bull* 25:69–77
- Singhvi AK, Williams MAJ, Rajaguru SN, Misra VN, Chawla S, Stokes S, Chauhan N, Francis T, Ganjoo RK, Humphreys GS (2010) A ~200 ka record of climatic change and dune activity in the Thar Desert, India. *Quat Sci Rev* 29:3095–3105
- Smith PEL (1986) *Palaeolithic archaeology in Iran*, The American Institute of Iranian Studies Monographs 1. The University Museum, University of Pennsylvania, Philadelphia
- Solecki RS, Solecki RI (1993) The pointed tools from the Mousterian occupations of Shanidar cave, Northern Iraq. In: Olszewski DI, Dibble HI (eds) *The Palaeolithic prehistory of the Zagros-Taurus*, The University Museum Monographs 5. University of Pennsylvania, Philadelphia, pp 119–146
- Starnini E, Biagi P (2011) The archaeological record of the Indus (Harappan) lithic production: the excavation of RH862 flint mine and flint knapping workshops on the Rohri Hills (Upper Sindh, Pakistan). *J Asian Civiliz* 34(2):1–60
- Stock JT, Mirazón Lahr M, Kulatilake S (2007) Cranial diversity in South Asia relative to modern human dispersal and global patterns of human variation. In: Petraglia MD, Allchin B (eds) *The evolution and history of human populations in South Asia*. Springer, Berlin, pp 245–268
- Szymczak K (ed) (2000) *Kuturbulak revisited: a Middle Palaeolithic site in Zeravshan Valley, Uzbekistan*, Światowit supplement series P: prehistory and middle ages, vol II. Institute of Archaeology, Warsaw University, Warsaw
- Tremenheere CW (1867) On the lower portion of the river Indus. *J Royal Geogr Soc London* 37:68–91
- Trinkaus E, Biglari F (2006) Middle Palaeolithic human remains from Bisutin cave, Iran. *Paléorient* 32:105–111
- Trinkaus E, Ranov VA, Lauklin S (2000) Middle Palaeolithic human deciduous incisor from Khudji, Tajikistan. *J Hum Evol* 38:575–583
- Van Peer P (1995) Current issues in the Levallois problem. In: Dibble H-L, Bar-Yosef O (eds) *The definition and interpretation of Levallois technology*. Monographs in World Archaeology, vol 23. Prehistory Press, Madison, pp 1–9
- Vishnyatsky LB (1999) The Palaeolithic of central Asia. *J World Prehist* 13:69–112
- Vishnyatsky LB, Nehoroshev PE (2004) The beginning of the Upper Paleolithic in the Russian plain. In: Brantingham PJ, Kuhn SL, Kerry KW (eds) *The Early Upper Paleolithic beyond Western Europe*. University of California Press, Berkeley, pp 80–96
- Vita-Finzi C, Copeland L (1980) Surface finds from Iranian Makran. *Iran* 18:149–155
- von Rad U, Tahir M (1997) Late quaternary sedimentation on the outer Indus shelf and slope (Pakistan): evidence from high-resolution seismic data and coring. *Mar Geol* 138:193–236
- Vredenburg EW (1909) Report on the geology of Sarawan, Jhalawan. Mekran and the state of Las Bela, considered principally from the point of view of economic development. *Rec Geolog Survey India* 38(3):189–215
- Wilhelmy H (1966) Der “Warnende” Strom. *Erdkunde* 20:265–276
- Wilhelmy H (1968) Indusdelta und Rann of Kutch. *Erdkunde* 22(3):177–191
- Zaidi SMS, Quadri M, Hamid G, Bilal M (1999) The landform inventory and genesis of the Mulri Hills area, Karachi East. *J Geogr* 2(1):39–48

Index

- A**
ABA, 110
Abou Halka, 2, 79, 82, 84
Abraders, 128
Abrasion, 42, 44, 96, 101
Abu Halka, 73
Abu Noshra, 90
Acheulian, 179, 180, 191
Afghanistan, 177, 206
Afghanistan plateau, 5
Africa, 2, 3, 23, 26, 102, 177, 200, 201
Aghitu-3 Cave, 4, 120, 121, 127, 128, 130
Ahmariian, 4, 42, 44, 51, 53, 87, 90, 95–97, 101, 102, 105, 112–114, 134, 141, 151
Alborz, 145
Alder, 128
Almond, 39
Altai Mountains, 5, 134
Ambush, 45
Amphibians, 127
AMS, 110, 114
Amud, 58
Amud Cave, 2, 28, 35, 44, 45, 80, 82
Anatolia, 5, 6, 139, 206
Anatomically modern humans (AMH), 12, 43, 46, 133, 141, 150, 177, 191, 192
Annihilation, 90
Annual precipitation, 50, 202, 206
Antelias, 84, 97
Anvils, 13, 28, 58
Arabian, 3
Arjeneh, 149
Arjeneh points, 135, 141, 150–152, 170
Armenia, 4, 120, 128
Armenian, 125, 126
Armenian Highlands, 120, 123, 127, 129
Arqov/Divshon, 97, 102, 106
Arsanjan, 173
Artesian, 15
Arzi, 178
Ash pile, 13
Asia, 2, 4, 5, 23, 201
Assimilation, 90
Atlitian, 97, 102, 106, 113, 114
Attribute analysis, 159
Aurignacian, 5, 51, 53, 56, 90, 102, 134, 135, 141, 191, 192, 209
Aurignacian retouched blades, 51
Aurochs, 128
Australian macroblades, 45
Awls, 41, 126, 130
Ayn al-Buhayra, 97
Azarya, 15
- B**
Bachokirian, 201, 206
Bacho-Kiro, 201
Backed blades, 139, 182
Backed bladelets, 4, 90, 128, 139, 182
Backed knives, 26, 42
Bags, 126, 129
Bakran, 183
Baliran, 145
Balkans, 141
Baloch, 178
Balochistan, 192
Band size, 45, 46
Baradostian, 129, 130, 133–135, 137, 139, 141, 145, 149–152, 158, 191, 192
Baradostian points, 139
Barde Spid I, 139
Bardia, 149
Basal, 78
Basalt, 36, 46, 51, 52, 123
Basalt boulders, 45
Basht, 5, 149, 158, 159, 161, 162, 170, 172
Baskintian, 82
Bats, 52
Beads, 126
Bear, 77
Bedrock, 13, 15, 18, 53, 65, 74, 145, 182
Behavioral variability, 49
Bekhain, 177
Benot Ya'aqov, 36
Bevel-based antler/bone points, 128
Bidirectional and centripetal method, 49
Bifacial foliates, 2
Bifacial picks, 185, 188
Bifacial tools, 26
Big-game hunting, 44
B'ina Formation, 15
Biomass, 127
Birds, 39, 127
Bisitun, 139, 150
Bison, 128
Bitruncated blades, 97
Black Sea, 5
Bladelet industry, 90, 152, 163
Bladelets, 4, 90, 95–97, 108, 112, 113, 129, 130, 137, 145, 149, 151, 158, 163–165, 168, 170, 172, 182, 185, 187, 188, 192

- Blades, 2, 3, 42, 44, 53, 54, 79, 82, 84, 90, 97, 101, 108, 114, 121, 122, 134, 137, 139, 145, 151, 163–165, 170, 177, 180, 182, 192
 cores, 42, 44, 82, 84, 101, 110
 industry, 135
 technology, 126
- Boar, 39, 44
- Bohunice, 201
- Bohunician, 201
- Boker, 96, 108
- Boker Tachit, 83
- Boker Tachtit, 78, 80, 87, 201
- Bokerian, 82, 84
- Bone tools, 51, 52, 152
- Boqer Tachtit, 97
- Bordesian, 42, 44, 82
- Borers, 135
- Bos primagenius*, 39
- Botanical remains, 36, 39, 44, 46
- Boulders, 13, 36, 51, 77
- Bovids, 44, 127
- Breccia, 53
- British Isles, 26
- Bulgaria, 201, 206
- Bullet cores, 179
- Burins, 41, 54, 79, 82, 84, 96, 101, 108, 109, 113, 122, 128, 134, 139, 145, 151, 182, 185
- Butchering, 3, 12, 27, 41, 42, 46, 128
- C**
- Calcrete crust, 13
- Calvaria, 50
- Campsites, 12
- Carbonate rocks, 15, 161
- CarDS, 110
- Carinated burins, 112, 113, 137, 141, 145, 169
- Carinated scrapers, 109, 139, 152
- Carnivores, 44, 127, 150
- Caspian shore, 139
- Caucasus, 4–6, 121, 129, 130, 139, 206
- Central, 206
- Central Asia, 1, 5, 134, 141, 176, 177, 191, 192, 202
- Central Europe, 5, 20, 206, 208, 209
- Cervids, 127
- Chaîne opératoire, 159, 164, 169
- Chakhmaq li, 158
- Chalcedony, 162, 165
- Chalcolithic, 121
- Chamfered pieces, 71, 78–80, 82, 84, 85, 101
- Chancha Baloch, 187
- Chanfreins, 79, 84, 101, 102
- Chapeau de gendarme*, 54, 177
- Charcoals, 51, 77, 87, 110, 139, 145, 149
- Châtelperronian, 209
- Chatelperronian, 134
- Cherts, 13, 123, 127, 161–165, 170, 172
- Cherty, 141
- Chicory, 128
- Clays, 13, 51, 52, 77
- Climate, 121, 126–128, 159, 200, 204, 206, 208
- Clothing, 126, 127, 130
- Cobbles, 36, 42, 45, 51, 96, 149, 164
- Colluvial deposition, 12
- Combustion features, 12, 13, 28, 120, 121
- Community Climate System Model (CCSM), 200
- Coprolites, 52
- Core trimming elements (CTEs), 19, 53
- Core-on-flakes, 18, 22
- Cores, 3, 18, 24, 41, 42, 44, 45, 50, 53, 67, 82, 84, 101, 112, 114, 122, 128, 137, 141, 145, 149, 158, 164, 165, 168, 170, 172, 173, 177, 180, 187
 on flakes, 45, 53
 preparation, 78
 rejuvenations, 96, 185
 tablets, 96, 169
 technology, 101
- Core-tablets, 108
- Coup de tranchet lateral*, 20, 27
- Cows, 39, 44
- Crested blades, 182, 185, 188
- Cresting, 96, 145
- Cretaceous, 15
- Croatia, 134
- Cumulative cost surface, 200–202
- Curved backed points, 182, 192
- Cut marks, 39, 44, 127
- Cutting board, 58
- Cutting edges, 41, 42, 122, 180
- Cyprus Oak, 39
- D**
- Dacite, 123
- Dansgaard-Oeshgar (D-O) events, 208
- Danube basin, 141
- Daphro, 177, 181, 185
- Dasht-e Rostam-Basht, 5, 149, 158–163, 170–172
- Dead Sea Fault, 36
- Débitage, 19, 51, 53, 112, 135, 141, 145, 151, 158, 163, 165, 169, 170, 172, 177, 179, 185, 188
- Débordant* flakes, 19
- Debris, 65, 67, 70, 162, 163
- Dederiyeh Cave, 2
- Deer, 39, 44, 173
- Deh Konkar, 178, 183
- Denisovans, 1
- Denticulated, 41, 96
- Denticulates, 25, 44, 135, 152
- Digital Elevation Model (DEM), 200
- Discoidal cores, 20
- DNA, 133
- Do-Ashkaft, 158
- Dolinas, 73
- Dolomite, 162, 165
- Double patina, 54, 80
- Dufour bladelets, 97, 135, 139, 141, 150–152
- Dzudzuana Cave, 121, 128
- E**
- Eco-cultural niche modelling (ECNM), 200
- Ecological niche models (ENM), 200–202, 208, 209
- Effective temperature, 173
- Ein Qadis IV, 96
- Ein Qashish, 2, 53, 58
- Electron spin resonance (ESR), 2
- El-Wad, 80, 97
- El-Wad points, 90, 97, 108, 113, 171
- Emiran, 82, 90, 96, 97, 114
- Emireh, 96

Emireh points, 4, 78, 80, 82, 84, 96, 101, 102
 End-scrapers, 41, 54, 82, 96, 101, 110, 114, 126, 128, 135, 139, 141, 149, 151, 165, 182
 Energy costs, 158, 173
 Engravings, 3
 Environmental sciences, 1
 Environments, 3, 5, 43, 45, 46, 121, 127, 128, 141, 200, 202
 En Zetim Formation, 15
 Epipalaeolithic, 87, 90, 97, 101, 107
 Equids, 127
 Eradication, 18
 Eshkaft-e Gavi, 150
 Ethnographic, 45
 ETOPO-1, 201
 Eurasia, 1, 73, 90, 102, 134, 152, 176, 208
 Europe, 2, 4, 23, 26, 43, 90, 134, 139, 151, 158, 192, 200, 201, 206, 208, 209
 Expedient tools, 22, 172, 173
 Experts, 67
 Eyed needle, 126, 128, 129

F

Fa'ara II, 43
 Faeroe Islands, 206
 Fahliyan river, 161, 169
 Fars, 134, 139, 149
 Fe/Mn, 18
 Fire places, 77, 145, 151
 Fish, 39, 127
 Flakelet, 183, 185, 187, 188
 Flints, 15, 27, 36, 39, 44, 45, 51, 53, 65, 67, 70, 78, 128, 139, 176, 179, 180, 184, 185, 191
 economy, 42, 44, 45
 mines, 65–70
 mining, 3
 quarry, 67
 quarrying, 4
 Flowstone, 50
 Flute-like fracture, 78
 Font-Yves points, 90, 135, 141
 Fossile directeur, 90, 101
 France, 134, 141
 Fuel, 68

G

Galilee, 35, 49, 50, 52–54, 56, 58
 Gamble's cave, 27
 Gar Arjeneh, 137
 Garm Roud, 121, 145
 Garment, 126
 Gastric etching, 127
 Gazelle, 39, 44, 173
 Genetic anthropology, 1
 Geometric Kebaran, 97, 112
 Georeferenced TIFF (GeoTIFF), 202
 Georgia, 4, 121, 126, 128–130
 Ghār-e Boof Cave, 5, 158, 159, 161–168, 170, 172
 Ghare Khar, 139
 Ghizri Creek, 182
 Glacial Maximum, 65, 90, 200
 Global relief model, 200
 Globular cores, 20, 82
 Goat, 127, 128, 173

Golan Heights, 35
 Grape, 128
 Gravettian, 134
 Great Indian Desert, 180
 Groundstones, 51, 52
 Group behavior, 45, 46
 Gvarjilas Klde, 128

H

Hab River, 181, 192
 Hack marks, 39
 Hammerstones, 13, 28, 188
 Hand-axe, 179
 Handles, 45
 Hare, 127
 Hazel, 128
 Hearths, 13, 39
 Hierarchical core reduction strategy, 19
 Hokra, 180
 Holocene, 36
 Home bases, 45, 96
Homo neanderthalensis, 176, 177, 190
 Hormuz Strait islands, 177
 Hula Lake, 36, 45, 46
 Hula Valley, 36, 43
 Human evolution, 133
 Hunter-gatherers, 36, 127, 128, 152, 157, 158, 172
 Hunting, 3, 12, 35, 39, 44–46, 49, 84, 127, 129, 130
 Hyderabad, 177, 181

I

Imereti, 121, 126, 128, 129
 Impact fractures, 44, 45, 54, 78, 79, 127
 Incisions, 56, 58
 Indian subcontinent, 176–178, 180, 182, 184, 185, 187, 190–192
 Indus Civilization, 179
 Indus River, 176
 Initial, 3
 Initial Upper Palaeolithic (IUP), 2, 4–6, 73, 77–80, 82, 84, 87, 97, 101, 114, 134, 177, 201, 204, 206, 208, 209
 Interbreeding, 1
 Iran, 121, 129, 130, 134, 135, 139, 141, 145, 157–159, 161–165, 168, 169, 171–173, 176, 177, 191, 206, 208
 Iranian Plateau, 145, 158, 163
 Iraq, 134, 158
 Iraqi-Jarmo, 135
 Isopleth, 206

J

Jamshoro, 178, 181
 Jhampir, 183
 Jorando gorges, 183
 Jordan River, 3, 35, 36
 Judean hills, 13

K

Kadeji, 183
 Kalavan-1, 120
 Kaldar Cave, 139
 Kalri Lake, 184
 Kangavar, 139

- Kankar Nala, 183
 Kara Bom, 201, 206
 Karachi, 177, 180–183, 191
 Karkas Mountains, 149
 Karstic, 3, 15, 50, 73, 159, 172
 Kashan, 145
 Kebara, 58, 80, 96
 Kebara Cave, 2, 3, 28, 35, 45, 54, 87, 97
 Kebaran, 97
 Keilmesser group, 20, 26
 Kenya, 27
 Keoue Cave, 4, 71, 73, 74, 77–82, 84, 85
 Kermanshah, 134, 135, 150, 152
 Khadiro Creek, 182
 Khanahmad, 159, 161
 Khar Nai, 183
 Kinjhar, 184
 Knife, 180
 Kopet Dag, 206
 Kostienki knives, 27
 Kot Dijii, 187
 Ksar Akil, 2, 79, 80, 82, 84, 87, 90, 96, 97, 106, 108, 112–114, 201
 Kuh-i-Dasht, 139
 Kur River, 139
 Kurdistan, 139
- L**
- La Cotte de Saint Brelade, 26
 Lagaman, 90, 96
 Lake Maharlu, 139
 Laki Range, 178
 Landhi, 178
 Langeji, 183
 Lateral longitudinal spall, 20
 Latif Mountains, 149
 Learning hypothesis, 2
 Least-cost path analysis (LCPA), 200, 202–204, 206, 208, 209
 Lebanon, 2, 4, 71, 73, 74, 77–80, 82, 84, 85
 Leptolithic, 90, 97, 101
 Levallois, 3, 5, 101
 Levallois Mousterian, 176, 177, 190
 Levallois points, 3, 4, 23, 35, 44, 49, 53, 58, 78, 82, 96, 101, 114
Levalloisian industry, 177
 Levant, 2–4, 6, 12, 39, 42, 44, 46, 56, 67, 68, 73, 80, 82, 85, 87, 97, 101, 105, 112, 113, 129, 134, 141, 176, 206, 208, 209
 Levantine Aurignacian, 4, 53, 90, 97, 106–110, 112–114, 152
 Limestones, 4, 13, 15, 28, 36, 50, 51, 65, 67, 70, 73, 74, 162, 164, 176, 177, 179, 183, 185, 187
 Linden, 128
 Lion, 44
 Lipped, 96
 Lithic technology, 42, 44, 46, 106–108, 110, 112–114, 121, 128, 129, 157
 Loam, 51, 52, 74
 Long sharpening flakes, 20
- M**
- Mahanayeem Stream, 36
 Malir River, 182
 Manot, 96
 Manot Cave, 2, 3, 43, 49, 50, 52–54, 56, 58, 87
 Manuports, 12, 13, 25, 28
 Mar Gurgalan Sarab cave, 139
- Marine isotope stage, 200
 Marrow, 44
 Masraqan, 97, 101, 106
 MaxEnt, 202, 206
 Maximum entropy model, 202
 Mediterranean, 12, 13, 49, 50, 87, 90, 96, 102, 141, 159, 206, 208
 Mendiari, 181, 183, 192
 Meyroubian, 82
 Michmiche, 80, 84
 Micro-artifacts, 44
 Microlithic, 90, 184
 Microlithisation, 90
 Microliths, 139, 158, 192
 Micromammals, 121, 127
 Micromorphological study, 12
 Micro-stratigraphy, 13, 18
 Midden, 13
 Middle Euphrates, 107
 Middle Pleistocene, 15
 Middle Stone Age, 3, 4, 26
 Miocene Upper Gaj formation, 182
 MIS, 2, 3, 12, 28, 43, 97
 Mobility, 12, 31, 45, 129, 157, 158, 173
 Model for Interdisciplinary Research on Climate (MIROC), 200, 202
 Modern human dispersals, 5, 50
 Modern humans, 1–6, 73, 87, 102, 120, 121, 123, 125–130, 150, 152, 173, 176–178, 180, 182, 184, 185, 187, 190–192, 200, 201, 208, 209
 Mount Carmel, 2, 4, 35, 50, 65–70
 Mousterian, 2, 3, 12, 18, 35, 36, 39, 41–46, 71, 80, 84, 87, 90, 101, 135, 139, 145, 150, 177, 209
 Mousterian points, 25, 44, 150, 151
 Mughr el-Hamamah, 83, 114
 Mulri, 182
 Mulri Hills, 178, 181
 Munsell chart, 53
 Mushabian, 97
- N**
- Nahal Ein Gev I, 97
 Nahal Galim, 67, 70
 Nahal Mahanyeem Outlet (NMO), 3, 12, 35–46
 Nahal Nizzana, 96, 108
 Nahr Ibrahim technique, 27
 Nai Rann, 185
 Nari, 13, 16
 Narrow-fronted' (NF) core, 90, 96
 National Oceanic and Atmosphere Administration (NOAA), 200
 Naturally-backed knives (NBK), 19, 20, 24, 30
 Nawab Punjabi, 187
 Neandertals, 133
 Neandertals, 1–3, 5, 6, 12, 35, 43, 46, 50, 71, 90, 121, 128, 129, 141, 150, 151, 176–178, 180, 182, 184, 185, 187, 190–192, 201, 209
 Near East, 4, 26, 28, 87, 90, 96, 97, 101, 102, 134, 176
 Nebekian, 97, 101
 Negev, 90, 97
 Neogene, 65
 Neolithic, 67, 121, 139
 Neshar Ramla, 3, 12, 13, 15, 16, 18–21, 23, 24, 27, 28, 31
 Nets, 126, 129
 Nettle, 128
 Neyriz, 161
 Niche competition, 209
 Niche probability, 5, 200–202, 204, 206, 208
 Nile valley, 4

- Nodules, 42, 45, 53, 65, 96, 141
 North Africa, 4, 84, 202
 North Sea, 206
 Northern Eurasia, 5
 Notch, 54
 Notches, 25, 41, 96, 135, 139, 145, 151
 Nubian, 96
 Nubian Levallois, 2, 5
- O**
- Oak, 39, 128
 Oase 1, 134
 Obsidian, 123, 127–129
 Occupation intensity, 15, 42, 45, 46
 Oceania, 201
 Ochre, 49, 51
 Ongar, 177, 181, 185, 191
 Opaque, 18
 Open-air sites, 3, 4, 12, 13, 15, 18–22, 24, 27, 28, 31, 35, 39, 43–45, 83, 90, 96, 107, 120, 145, 159
 Opposed-platforms, 78, 82, 96, 101, 108, 137
 Optically stimulated luminescence (OSL), 2, 3, 12, 15, 36, 43
 Ortvale Klde rockshelter, 128
 Ouchtata bladelets, 97
 Out-of-Africa, 1, 50, 90
- P**
- Pakistan, 5, 176, 177, 180, 206
 Palaeoclimate, 200–202
 Palaeoterrain, 200–202
 Paleoanthropological, 90
 Paleoclimate Modelling Intercomparison Project Phase II (PMIP 2), 200
 Palimpsests, 3
 Partially faceted butt, 82
 Pa Sangar, 145, 152
 Patina, 180, 184, 185, 187
 Pebbles, 13, 36, 51, 77, 139, 145, 161, 164, 169, 182, 185, 188
 Pedogenic, 13, 18
 Pedosediments, 13, 18
 Peninsula, 3
 Percussion, 78, 96, 101, 163, 168
 Percussors, 96
 Physical anthropology, 1, 200
 Pine, 128
 Platform abrasion, 3
 Pleistocene, 36, 46, 65, 121, 126, 127, 129, 139, 149, 185, 191, 200
 Pleistocene basalt, 120
 Points, 3, 20, 26, 42, 53, 54, 78, 96, 101, 177, 180
 Pokr Arteni, 125
 Pokr Arteni region, 128
 Pollen, 39, 121
 Population biology, 1
 Post-Aurignacian, 53
 Prądnick technique, 20
 Predetermination, 19
 Predetermined reduction sequence, 42
 Preferential methods, 19
 Preparation, 13, 27, 42, 44, 51, 56, 79, 96, 101, 157, 161–164, 169, 170, 172, 180
 Prismatic, 101, 137, 141, 151, 185, 187, 188
 Projectiles, 45, 78, 84, 122, 171
 Proto-Aurignacian, 4, 90, 141, 151, 209
 Punctiform striking platform, 96
- Punjab, 180
 Pyramidal' cores, 101, 152
 Pyrene Mountains, 206
- Q**
- Qafzeh, 2, 53, 58, 80, 96
 Qafzeh Cave, 3, 28, 50, 54
 Qaleh Gusheh, 149
 Quartz, 162
 Quneitra, 3, 12, 35, 43, 54, 58
- R**
- Racloir, 54
 Radiocarbon, 114, 121, 134, 137, 149, 160, 163, 172, 200, 209
 Radiolarite, 161
 Rajasthan, 180
 Range expansion, 5
 Ranikot, 181, 185
 Raw materials, 5, 12, 27, 42, 45, 46, 51, 54, 65, 96, 121–129, 157–165, 168–173
 Recurrent, 30, 53, 84
 Recurrent core, 54
 Recycling, 3, 26, 58, 169
 Red deer, 128
 Reduction, 4, 18, 23, 36, 42, 49, 53, 56, 82, 96, 97, 108, 112, 113, 141, 149, 151, 157, 162, 164, 165, 168, 172, 173, 201
 debris, 45
 sequences, 90
 Refitted pieces, 3
 Refitting, 42, 149
 Rehri, 182, 183
 Rejuvenation flakes, 19, 164
 Rendzina, 18
 Reptiles, 127
 Re-sharpening, 3, 26, 45, 80
 Ridge blades, 96
 Rig Boland, 149
 Rioni River, 128
 Roc-de-Combe, 141, 150, 152
 Rodents, 52
 Rohri, 181, 187
 Rostam, 159, 170, 172
 Rostamian, 5, 149, 150, 158, 163, 168, 172, 173
 Russian steppe, 5, 129, 206, 208, 209
- S**
- Sadaf, 84
 Samertskhle Klde, 128
 Samgle Klde, 128
 Sands of Beirut, 80
 Sangar Rostam, 159
 Sanghao Cave, 180
 Sann Gate, 185
 Sann River, 185
 Sareki Klde, 128
 Scar patterns, 19, 53
 Scrapers, 20, 22, 24, 27, 30, 44, 96, 108, 112, 122, 135, 145, 150, 158
 Sde Divshon, 96
 Sea of Galilee, 36
 Seasonality, 127, 173
 Sedimentological, 36, 51, 52, 74
 Sefid-Ab, 145
 Senonian, 15

- Settlement systems, 130, 157
 Shābān, 180
 Shadee Shaheed, 187, 191
 Shanidar, 135, 150
 Shanidar cave, 134
 Sheep, 127, 173
 Shekaft-I Ghadi Barmi Shur, 139
 Shells, 49, 110, 126
 Shlyakh, 206
 Siberia, 176
 Side-scrapers, 3, 19, 24, 26, 30, 51, 54, 79, 82, 96, 137, 139, 183
 Side Zin 7, 83
 Sinai, 90
 Sinai Peninsula, 3
 Sindh, 176–178, 180, 182, 184, 185, 187, 190–192
 Sineu frayers, 27
 Single-platform cores, 78, 79, 108, 163
 Sinkholes, 12, 13, 15, 27
 Site functions, 23, 45, 128, 129
 Skhul, 2, 58
 Sonehri, 184
 South Asia, 5, 6, 177
 Spain, 134, 141
 Spall, 3, 21, 24, 27, 83
 Spear, 44
 Spin-off fracture, 78
 Stone tool tradition, 45
 Stratigraphy, 13, 18, 25, 31, 36–39, 46, 73, 74, 112, 120, 121, 128, 129, 149, 152, 163, 168
 Striking-platforms, 19, 20, 42, 44, 54, 56, 78, 96, 101, 149, 172, 180
 Subsidence, 13, 15
 Sukkur, 181, 187
 Symbolic artifacts, 49
 Symbolic behavior, 3, 58
 Syro–Arabian Desert, 2
 Syunik Highlands, 126, 127
 Syunik region, 120
- T**
 Tabun, 2, 53, 71, 80, 84
 Tabun Cave, 2, 35, 54
 Tabun model, 3
 Talus, 51
 Taurus, 129, 176
 Technological innovations, 44, 50, 200
 Technological skills, 49
 Technology, 12, 13, 15, 18–22, 24, 27, 28, 31, 42, 44, 45, 50, 53, 82, 101, 106, 112, 114, 121–123, 127, 130, 134, 141, 149, 151, 157, 158, 168–170, 173, 177, 201
 Temnata Cave, 201
 Tepe Guran, 139
 Territoriality, 45, 46
 Tested nodule, 41
 Thalab al-Buhayra, 97
 Thar Desert, 177, 180, 191
 Thatta, 181, 183
Theodoxus pallasi, 126
 Thermal physiology, 126
 Thermo-luminescence (TL), 2
 Tlelian, 82
 Tool maintenance, 26
 Tool-kits, 20, 30, 122, 128–130, 141, 151
 Tor Fawaz, 97, 114
 Tor Sadaf, 97, 108, 114
 Tot Faraj, 45
 Transcaucasia, 134
 Transjordan, 97
 Travel cost, 204, 206
 Triangle, 182
 Tripoli, 71, 73
 Truncated-faceted pieces, 27, 137, 151
 Truncations, 20, 182
 Turkmenistan, 206
 Turkmen Plain, 139
 Turonian, 15
 Twisted bladelets, 108, 109, 112, 113, 141, 145, 150, 152, 169
 Typology, 39–41, 44, 101, 106, 107, 128, 137, 151, 158, 159, 170, 171
- U**
 Ucağızlı, 84
 Üçağızlı, 87, 97, 108, 201
 Uluzzian, 209
 Umm el-Tlel, 12, 96, 97, 106, 107, 112, 113
 Unidirectional convergent, 53, 58, 82
 Unidirectional convergent methods, 49
 Unnar, 180, 187
 Upper Pleistocene, 15
 Use-wears, 78–80, 114
 U-Th, 2, 3, 50, 53
- V**
 Vertisols, 18
 Vine, 128
 Volumetric concept, 4
 Volumetric conception, 19
 Volumetric core reduction, 129
 Volumetric cores, 4, 82, 201
 Vorotan River, 120
- W**
 Wadi Aghar, 97, 204, 206, 209
 Wadi el-Keoue, 73
 Wadi Hasa, 90
 Wadi Kharar, 106–114
 Walnut, 128
 Warwasi, 5, 135, 145, 151
 Waste products, 45, 67
 Wezmeh cave, 150
 Work shops, 67, 70, 121, 158, 177, 179, 180, 185, 187, 191
 WorldClim, 200
 Wurm, 134
- Y**
 Yabrud, 2
 Yabrud II, 82
 Yafteh, 121, 129, 130, 134, 137, 141, 145, 151, 152
 Yafteh Caves, 5
 Yagheh Sangar Rostam pass, 159, 172
 Yarkon-Tanninim Aquifer, 15
- Z**
 Zagros, 4–6, 129, 133–135, 137, 139, 141, 145–152, 158, 163, 173
 Zagros Aurignacian, 134, 135, 141, 145, 151, 158
 Zagros Mountains, 5, 134, 150, 157–159, 161–165, 168, 169, 171–173, 176
 Zagros Mousterian, 5, 134, 135, 152
 Zarzian, 134, 135, 139, 149, 158
 Ziārāt, 180